# Algorithm



# 0820

Design By Toan Nguyen

Pendant light fitting designed by Toan Nguyen. Composed of a hand blown glass sphere with a LED light source and suspended in the air via a tensile cable. Available in lacquered matt graphite and matt white.

# Model Sheet







Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

## 18 Graphite Finish ADAPTA RF 9913 WX

LED temperature color

2700 K / 3500 K

Dimming

Push; 1-10V; DALI-2 / Casambi

Instalation type

Built-in XS / Surface Canopy / Surface Free Wire / Remote Micro

Materials

Sphere: Blown glass Glass fastening: Aluminum Diffuser: PC- Polycarbonate Pendant structure: Steel

Light source

1 x LED 3,15W 1050mA

E

LED

CRI>90 312.28 lm 99.13 2700 K / 3500 K

Driver

Constant Current 1050 100~240 V V 50~60 Hz HZ

Remarks

**Application** 

Request built-in canopy at www.vibia.com

Ra: 80





IP20 Bi-volt 50-60Hz

Hanging lamps

**Packaging** 

0.427 m x 0.293 m x 0.105 m Gross weigth 2.2

Net weigth 1.7 Vol. 0.0131


#### Lighting effect


#### General lighting

Lamp for general lighting that equally distributes the light in all directions.



#### Photometric Data





Efficiency Coordinate System **Total Flux** Maximum Value

49.59% CG 312.28 lm 160.78 cd/klm

### Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty