



MASTER Value Glass LED bulbs

MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG


Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data

General Information		LLMF At End Of Nominal Lifetime (Nom) 70 %	
Cap-Base	E27 [E27]		
Nominal lifetime	15,000 hour(s)		
Switching Cycle	20,000		
Lighting Technology	LED		
Flux measurement reference	Sphere		
Light Technical		Operating and Electrical	
Color Code	927 [CCT of 2700K]	Line Frequency	50 to 60 Hz
Luminous Flux	806 lumen	Input Frequency	50 to 60 Hz
Color Designation	Warm White (WW)	Power Consumption	5.9 W
Correlated Color Temperature (Nom)	2700 K	Lamp Current (Nom)	35 mA
Luminous Efficacy (rated) (Nom)	136.00 lm/W	Wattage Equivalent	60 W
Color Consistency	<6	Starting Time (Nom)	0.5 s
Color rendering index (CRI)	90	Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.7
		Voltage (Nom)	220-240 V
		Temperature	
		T-Case Maximum (Nom)	80 °C

MASTER Value Glass LED bulbs

Photometric data




Spectral Power Distribution Colour - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG

Lifetime



Life Expectancy Diagram - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG



Lumen Maintenance Diagram - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG

