



6436

Design By Sebastian Herkner

The convex shade pendant features an open frame imbedded with LEDs that contains a reflector formed from a rounded sheet of metal. It floats from nearly invisible cables overhead, casting a diffuse glow that evokes the look of raining light.

Model Sheet




Optional : Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

Finish	11 Black NCS S 8500-N
LED temperature color	2200 K / 2700 K / 3000 K / 3500 K / 4000 K Optional 2200 K / 2700 K / 3000 K / 3500 K / 4000 K Min. quantity, upcharge and extra lead time apply [EN]
Dimming	DALI / PUSH / 1-10V / CASAMBI
Installation type	Surface Canopy
Materials	Body: Aluminum Reflector: Aluminum Driver box: Aluminum
Light source	1 x LED STRIP 27,9W 750mA E
LED	CRI>90 2907 lm 104 2200 K / 2700 K / 3000 K / 3500 K / 4000 K
Driver	Constant Current 750 90~305 V V 50-60 Hz HZ <input type="checkbox"/> Dimmable <input type="checkbox"/> LED <input type="checkbox"/> IP20 <input type="checkbox"/> Multi-volt <input type="checkbox"/> 50-60Hz <input type="checkbox"/> TRIAC <input type="checkbox"/> 1-10V
Application	Hanging lamps
Packaging	1 Box 1.43 m x 0.3 m x 0.3 m Gross weight 7 Net weight 5 Vol. 0.1287

Lighting effect

General Lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency	45.27 lm/W
Coordinate System	CG
Total Flux	1443.83 lm
Maximum Value	451.32 cd

Other Applications

