



Aluna series

Designed by Quaglio Simonelli, France

Quaglio Simonelli created the Aluna lamp series with an architectural eye for detail, with an elegant shape that will be a beautiful focal point in any space. The large volume of the shade adds an opulent look to your dining table, and the subtle detail of the brass covered cord adds a luxurious expression to the design. Inside the dome an opaque diffuser softens the light while hiding lightbulbs.

Meet the designer

Quaglio Simonelli is a design duo comprised of two creative individuals, both born in Italy and now based in Paris. Thinking that diversification is a source of creative richness, we design technology products, furniture, lighting and decorative objects, conceive the visual identity and product design for beauty brands, alternating industrial logic with an artisanal approach. Our complementary sensibilities induce our designs with the creative gaze of two histories combined. Inspired by the world that surrounds us and by our own impacts and interpretations. We create design that appears familiar at first glance, but at the same time it's adorned with unexpected, almost poetic elements. Our philosophy is 'never see things as they are'.








Bolia-com

20-130-06

Aluna Pendant Ø60 cm



Specifications

Country of origin	Energy classification	Shade Width	Diameter	Height	Cord
China	E	60 cm	60 cm	27.60 cm	3 m Black Textile cord
LED	Dimmable1	Light source included	Burning hours	Lumen	Kelvin
Yes	No	Yes	30,000 h	824 lm	2,730 k
Watt	Ra (CRI)	Hz	IP Rating	Classification	Replaceable lightsource
30 W	93 Ra (CRI)	50 Hz	20 IP	Class I	Yes
Ceiling cap dimensions	The parcel's measurements				
12.50 cm 2,5 cm	The parcel's measurements 1: 0.13 m3, 8.7 kg (D 62.5 cm, W 63.5 cm, H 33.5 cm)				

Notice

Aluna Wall Lamp Ø25 cm



Energy classification

Shade Width 25 cm Diameter Height

17 cm Cord 2.50 m LED Yes Dimmable1

Light source included

Burning hours 30,000 h

Lumen

482 lm Kelvin 2 812 k Watt

Ra (CRI) 92 Ra (CRI)

Hz 50 Hz IP Rating 20 IP

Classification

Switch position On cord

Burning hours

30,000 h

Lumen 802 lm

Kelvin 2.790 k

Replaceable lightsource

The parcel's measurements

The parcel's measurements 1: 0.03 m3, 3.0 kg (D 32.5 cm, W 32.5 cm, H 31.5 cm)

20-130-02

Aluna Floor Lamp



Energy classification

Shade Width

38 cm Diameter 38 cm Width

Height 154.50 cm Cord

3 m Creme Textile cord LED

Yes Dimmable1 No

Light source included

Yes

38 cm Base width

Watt Ra (CRI) 59 cm 93 Ra (CRI) 50 Hz

IP Rating 20 IP Classification Class II Switch position

On cord Replaceable lightsource


Cord

The parcel's measurements

The parcel's measurements 1: 0.16 m3, 15.0 kg (D 24.0 cm, W 48.0 cm, H 139.0 cm)

20-130-01

Aluna Table Lamp



Shade Width

20 cm

Diameter 27 cm

Width 27 cm Height

42.60 cm

2.50 m Textile cord No Light source included Recommended light source E14 max 25W

Replaceable lightsource

The parcel's measurements

The parcel's measurements 1: 0.03 m3, 5.08 kg (D 31.0 cm, W 21.0 cm, H 46.0 cm)

20-130-04

Aluna Pendant Ø27 cm



Energy classification

Shade Width 27 cm Diameter

27 cm Height 12.40 cm LED

Dimmable1 No

Light source included

Burning hours

30,000 h

Lumen

482 lm Kelvin

2.812 k Watt

Ra (CRI) 93 Ra (CRI) Hz

50 Hz IP Rating 20 IP

Classification

Replaceable lightsource

Lumen

802 lm

Kelvin 2,790 k

Watt 20 W

Ra (CRI)

Hz

50 Hz

93 Ra (CRI)

Ceiling cap dimensions

12.50 cm 2,5 cm

The parcel's measurements

The parcel's measurements 1: 0.02 m3, 3.5 kg (D 44.0 cm, W 31.0 cm, H 18.0 cm)

20-130-05

Aluna Pendant Ø38 cm



38 cm

38 cm Height

Yes Dimmable1

Energy classification

Diameter

19.10 cm LED

Light source included

Burning hours

30,000 h

Shade Width

IP Rating 20 IP Classification

Replaceable lightsource

Class I

Ceiling cap dimensions 12.50 cm 2,5 cm

The parcel's measurements

The parcel's measurements 1: 0.05 m3, 4.8 kg (D 44.0 cm, W 44.0 cm, H 25.0 cm)

20-130-06

Aluna Pendant Ø60 cm



Energy classification

Shade Width

60 cm Height 27.60 cm

3 m Black Textile cord LED

Dimmable1 No

Light source included Yes

Burning hours 30,000 h

Lumen

824 lm Kelvin 2,730 k Watt 30 W

Ra (CRI) 93 Ra (CRI)

50 Hz IP Rating

20 IP Classification Class I

Replaceable lightsource

Yes

Ceiling cap dimensions 12.50 cm 2,5 cm

The parcel's measurements

The parcel's measurements 1: 0.13 m3, 8.7 kg (D 62.5 cm, W 63.5 cm, H 33.5 cm)

Materials and surfaces

Bar

