



Lucén series

Designed by Ferriani Sbolgi, Italy

Discover the harmony that arises when mixing tradition and contemporary flair. With a perfect Japandi expression, the lamps come in a variety of shapes and sizes, complementing any space with soft luminosity. The design is FSC™-certified and crafted with a lightweight metal frame covered in oak rings and delicately draped fabric.

Meet the designer

The Italian design studio, Ferriani Sbolgi, is driven by experiments and a cooperative approach to the design process where both designers agree on a direction and outline before transforming into new creative designs. Their design language is based on sleek silhouettes and clean stripped-down lines and details, and their products seek to communicate a certain emotion with the viewer and user. Each new design is seen as an opportunity for experimentation, and they ascribe fundamental importance to finding materials and ideas that will add value to their final design. They seek the new, the bold and the different, but always with timeless taste and quality craft in mind. A striking balance achieved in an effortless manner shown in their beautiful work.







Lucén Pendant - Octagon



Specifications

Country of	Shade	Shade Top	Shade width	Туре	Diameter
origin China	Sand fabric	Oiled oak, Solid	40 cm	Solid	40 cm
Width	Length	Height	Cord	Dimmable	Light
40 cm	40 cm	33 cm	3 m Amber Textile cord	Yes, if the bulb is dimmable and if your electrical system allows it	included No
Socket	Hz	IP Rating	Classification	Adjustment	Ceiling cap
E27	50 Hz	20 IP	Class I	Cable can be shortened	Creme
Ceiling cap	Production technique	Wood due diligence	Netspænding	Vendor Title	Total Net
dimensions 12 cm 2.5 cm	Wowen	Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America/	230 V~50 Hz	MADE SPECIFIC, Denmark	Weight 2.20 kg
12 CH1 2,5 CH1		Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America		Defilliark	2.20 kg
EAN 5702410559318	The parcel's measurements	Exterior ring, I, Website, Plywood, Poplar, Populus alba, China / Exterior ring, I, Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America		Delillark	2.20 kg

Test and certifications

FSC[™] C165134 (Forest Stewardship Council) is an international organisation that advocates for responsible management of the world's forests. FSC-labelled products contain wood materials from forests that meet strict environmental, social and economic standards, helping to protect biodiversity, ecosystems and local communities.



The mark of responsible forest:

Lucén Pendant - Octagon



 Shade
 Hz

 Sand fabric
 50 Hz

 Shade Top
 IP Rating

 Oiled oak, Solid
 20 IP

 Shade width
 Classification

 40 cm
 Class I

 Type
 Adjustment

Solid Cable can be shortened

Diameter Ceiling cap color

40 cm Creme

Width Ceiling cap dimensions
40 cm 12 cm 2,5 cm

Length Production technique

Height Wood due diligence

33 cm Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America /

Cord Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1,

3 m Amber Textile Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

Dimmable
Yes, if the bulb is
dimmable and if your

Cord

Netspænding
230 V-50 Hz
Vendor Title

electrical system MADE SPECIFIC, Denmark

allows it Total Net Weight

Light source included 2.20 kg

No **EAN Socket** 5702410559318

E27

The parcel's

measurements

The parcel's measurements 1: 0.09 m3, 4.7 kg (D 45.0 cm, W 44.0 cm, H 44.0 cm))

20-138-03

Lucén Pendant - cylinder



 Shade
 Hz

 Sand fabric
 50 Hz

 Shade Top
 IP Rating

 Oiled oak, Solid
 20 IP

 Shade width
 Classification

40 cm Class I

Type Adjustment

Solid Cable can be shortened

Diameter Ceiling cap color

40 cm Creme

Width Ceiling cap dimensions

40 cm 12 cm 2,5 cm

Length Production technique

40 cm Wowen

Height Wood due diligence

54 cm Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America /

Cord Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1,

3 m Amber Textile Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

cord bottom, 1, Webs

Dimmable
Yes, if the bulb is
dimmable and if your
Yendor Title

electrical system

MADE SPECIFIC, Denmark

allows it Total Net Weight

Light source included 2.85 kg
No EAN

Socket 5702410560772

E27

The parcel's

measurements

The parcel's measurements 1: 0.13 m3, 5.3 kg (D 45.0 cm, W 45.0 cm, H 65.0 cm))

Lucén Pendant - Ellipse



Shade Ηz Sand fabric 50 Hz Shade Top IP Rating Oiled oak, Solid 20 IP Shade width Classification 60 cm Туре Adjustment

Cable can be shortened Solid

Diameter Ceiling cap color

60 cm

Width Ceiling cap dimensions 60 cm 12 cm 2.5 cm Production technique Length

Height Wood due diligence

Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / 39 cm Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Cord Website, Veneer, Oak, Quercus alba, The United States of America / Shade 3 m Amber Textile bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

cord Netspænding Dimmable 230 V~50 Hz

Yes, if the bulb is dimmable and if your Vendor Title

electrical system MADE SPECIFIC, Denmark

allows it **Total Net Weight**

Light source included 3.80 kg No

EAN

Socket 5702410559356

E27

20-138-04

Lucén Table Lamp



Shade Hz Sand fabric 50 Hz Lamp base IP Rating Oiled oak, Solid 20 IP Shade width Classification 28 cm Class II

Diameter Switch position 28 cm On cord

Width Wood due diligence

Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Height Website, Veneer, Oak, Quercus alba, The United States of America / Shade 42 cm bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

2.50 m Amber Textile Netspænding

230 V~50 Hz cord

Plug type Dimmable ΕU Yes, if the bulb is dimmable and if your Vendor Title

electrical system MADE SPECIFIC, Denmark

allows it Total Net Weight

Light source included 2.20 kg No EAN

Socket 5702410570696

E27

Cord

The parcel's

measurements

The parcel's measurements 1: 0.21 m3, 8.2 kg (D 65.0 cm, W 65.0 cm, H 49.0 cm))

The parcel's

measurements The parcel's

measurements 1: 0.05 m3, 3.7 kg (D 31.0 cm, W 32.0 cm, H 50.0 cm))

Lucén Floor Lamp - cylinder



 Shade
 Socket

 Sand fabric
 E27

 Lamp base
 Hz

 Dark oiled oak, Solid
 50 Hz

 Shade width
 IP Rating

 42 cm
 20 IP

 Diameter
 Classification

 42 cm
 Class II

Width Switch position 42 cm On cord

Length Wood due diligence

42 cm Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / **Height** Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1,

59 cm Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

Textile cord

Dimmable
Yes, if the bulb is

Netspænding
50 Hz

Plug type
EU

dimmable and if your Vendor Title

electrical system MADE SPECIFIC, Denmark

EAN

allows it Total Net Weight

Light source included 4 kg

No

5702410570795

The parcel's

measurements

The parcel's measurements 1: 0.13 m3, 6.15 kg (D 44.0 cm, W 44.0 cm, H 65.0 cm))

Materials and surfaces

Size



Shade detail



