

Pipistrello Med

Medium

Gae Aulenti



colors



Typology	Table
Utilisation	Indoor

230V 6.8 W 868 lm



diffuse light



Table lamp, diffused light, adjustable height. Glazed stainless steel telescope. White opal methacrylate diffuser. Structure and knob in painted aluminum. LED light source integrated, dimmable. Electronic driver on the plug.



Family	Pipistrello Med
Typology	Table
Utilisation	Indoor

Dimensions

Height	50-62 cm
Diameter	40 cm
Power supply cable length	45+200 cm
Weight	5 Kg



Materials



Structure	aluminium brass copper stainless steel	Diffuser	methacrylate 040
Base	iron		

Voltage	230V	Watt	6.8 W
Power unit	Included	Lumen	868 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Dimming	Dimmer on the cable	CCT	2700 K
		Energy class	E


Certifications



EcoLabel



Photometric curves



Colour variant code



620/MED/DIM/MA



Brown



620/MED/DIM/BI



White



620/MED/DIM/NE



Black



620/MED/DIM/VE



Agave Green



620/MED/DIM/OT



Brass



620/MED/DIM/BZ



Bronze

Gallery





