Project name: / Project type: /

# AJ FLOOR

## AJ Floor - 5744170039

The floor lamp emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.





## Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Carl Hansen & Son Showroom



Sparekassen Vendsyssel

### **AJ Floor**

## **Product info**

#### Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.

#### Mounting

Cable type: Plastic cord with plug. Cable length: 2.4m. Light control: On/Off switch on cord.

#### Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, 湿漆。 经过抛光 处理的不锈钢。

#### Materials

Shade: Spun steel or stainless steel. Base: Die cast zinc or stainless steel. Stem: Steel or stainless steel.

#### Class

Ingress protection IP20. Electric shock protection II.

### Light source

1x20W E27

#### Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.

## Related products









AJ Mini Table

AJ Royal

AJ Garden Bollard




AJ Oxford Table Lamp

0000

louis poulsen louispoulsen.com

# Light distribution diagrams



# Spare parts & accessories

Product	Variant number
Foot switch On/Off black	5717000000
Foot switch On/Off white	5717000013

# **Data specifications**

Length	-	
Height	1300	
IP class	20	
Net Weight	3.4	
Power Factor (P = 100 % / P = 50 %)	Power Factor (P = 100 % / P = 50 %) -	
Light source	1x20W E27	
CRI	-	
Lumen	-	
-	Height  IP class  Net Weight  Power Factor (P = 100 % / P = 50 %)  Light source  CRI	

louis poulsen louispoulsen.com

## AJ Floor

Watt	-
Light control	-
UGR Transversal / Axial	21.9/16.4
Driver life	-

Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-

louis poulsen louispoulsen.com