Project name: / Project type: /

AJ WALL LAMP

AJ Wall Lamp - 5743161913

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down and 60 degrees to each side to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.





Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.





Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Mounting

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished.

br> Black and Warm Grey comes in solid colour or with polished brass.

Materials

Shade: Spun steel or stainless steel.
 Arm: Steel, stainless steel or deep drawn stainless steel.
 Arm: Steel, stainless steel or brass.

Sizes and weights

width x Height x Length (mm) | 145 x 180 x 318 Max 1.1 kg

Class

Ingress protection IP20. With cord and plug: Electric shock protection II. For hardwiring: Electric shock protection

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Related products







AJ Table Lamp

AJ Floor Lamp

AJ 50 Outdoor Wall Lamp







AJ Mini Table Lamp

AJ Royal Pendant

•

AJ Oxford Table Lamp

318

louis poulsen louispoulsen.com

AJ Wall Lamp

louis poulsen louispoulsen.com

Spare parts & accessories

| Product | Variant number |
|------------------------------|----------------|
| AJ Electric Orange union nut | 5744170301 |
| AJ Soft Lemon union nut | 5744170314 |
| AJ Warm Sand union nut | 5744170327 |
| AJ Dusty Blue union nut | 5744170330 |
| AJ Warm Grey union nut | 5744170343 |
| AJ Brass union nut | 5744170563 |
| AJ Lacquered Brass union nut | 5744170576 |

Data specifications

| Colour | Brass/warm grey |
|-------------------------|-----------------|
| Width | - |
| Built-in Height | - |
| Class | - |
| Standby (W) | - |
| Inrush Current | - |
| Kelvin | - |
| SDCM | - |
| Watt | 6.0 |
| Light control | - |
| UGR Transversal / Axial | - |
| Driver life | _ |

| Length | - |
|-------------------------------------|-----|
| Height | - |
| IP class | _ |
| Net Weight | 3.3 |
| Power Factor (P = 100 % / P = 50 %) | - |
| Light source | - |
| CRI | - |
| Lumen | - |
| Efficacy | - |
| Min. Dim Level (%) | - |
| L80B50 (hours) | _ |

louis poulsen louispoulsen.com