



Lucén series

Designed by Ferriani Sbolgi, Italy

Discover the harmony that arises when mixing tradition and contemporary flair. With a perfect Japandi expression, the lamps come in a variety of shapes and sizes, complementing any space with soft luminosity. The design is FSC™-certified and crafted with a lightweight metal frame covered in oak rings and delicately draped fabric.

Meet the designer

The Italian design studio, Ferriani Sbolgi, is driven by experiments and a cooperative approach to the design process where both designers agree on a direction and outline before transforming into new creative designs. Their design language is based on sleek silhouettes and clean stripped-down lines and details, and their products seek to communicate a certain emotion with the viewer and user. Each new design is seen as an opportunity for experimentation, and they ascribe fundamental importance to finding materials and ideas that will add value to their final design. They seek the new, the bold and the different, but always with timeless taste and quality craft in mind. A striking balance achieved in an effortless manner shown in their beautiful work.







Lucén Pendant - cylinder



Specifications

Country of origin	Shade	Shade Top	Shade width	Type	Diameter
China	Sand fabric	Dark oiled oak, Solid	62 cm	Solid	62 cm
Width	Length	Height	Cord	Dimmable	Light
62 cm	62 cm	92 cm	3 m Dark brown Textile cord	Yes, if the bulb is dimmable and if your electrical system allows it	source included
					No
Socket	Hz	IP Rating	Classification	Adjustment	Ceiling cap
E27	50 Hz	20 IP	Class I	Cable can be shortened	color
					Creme
Ceiling cap	Production	Wood due diligence	Netspænding	Vendor Title	Total Net
Ceiling cap dimensions	Production technique		Netspænding 230 V~50 Hz	MADE SPECIFIC.	Total Net Weight
		Wood due diligence Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America			
dimensions	technique			MADE SPECIFIC.	Weight

Test and certifications

FSC[™] C165134 (Forest Stewardship Council) is an international organisation that advocates for responsible management of the world's forests. FSC-labelled products contain wood materials from forests that meet strict environmental, social and economic standards, helping to protect biodiversity, ecosystems and local communities.



The mark of responsible forestry

Lucén Pendant - cylinder



 Shade
 Hz

 Sand fabric
 50 Hz

 Shade Top
 IP Rating

 Dark oiled oak, Solid
 20 IP

 Shade width
 Classification

 62 cm
 Class I

 Type
 Adjustment

Solid Cable can be shortened

Diameter Ceiling cap color

62 cm Creme

Width Ceiling cap dimensions
62 cm 12 cm 2,5 cm

Length Production technique

Height Wood due diligence

92 cm Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America /

Cord Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1,

3 m Dark brown Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

Textile cord bottom, I, Wet

Dimmable Netspænding

Yes, if the bulb is 230 V-50 Hz

dimmable and if your **Vendor Title**electrical system MADE SPECIFIC, Denmark

allows it Total Net Weight

Light source included 5.75 kg

No **EAN**

Socket 5702410570658

E27

20-138-02

Lucén Pendant - Octagon



 Shade
 Hz

 Sand fabric
 50 Hz

 Shade Top
 IP Rating

 Dark oiled oak, Solid
 20 IP

Shade width Classification
40 cm Class I

Type Adjustment

Solid Cable can be shortened

Diameter Ceiling cap color

40 cm Creme

Width Ceiling cap dimensions

40 cm 12 cm 2,5 cm

Length Production technique

40 cm Wowen

Height Wood due diligence

Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America /
 Cord Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1,
 m Dark brown Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

DimmableNetspændingYes, if the bulb is230 V-50 Hzdimmable and if yourVendor Title

electrical system MADE SPECIFIC, Denmark

allows it Total Net Weight

 $\begin{array}{cc} \textbf{Light source included} & 2.20 \text{ kg} \\ \text{No} & \textbf{EAN} \end{array}$

Socket 5702410570603

E27

The parcel's

measurements

The parcel's measurements 1: 0.44 m3, 11.8 kg (D 65.0 cm, W 65.0 cm, H 103.0 cm))

The parcel's

measurements

The parcel's measurements 1: 0.09 m3, 4.7 kg (D 45.0 cm, W 45.0 cm, H 44.0 cm))

Lucén Pendant - Ellipse



Shade Ηz Sand fabric 50 Hz Shade Top IP Rating Dark oiled oak, Solid 20 IP Shade width Classification 90 cm Туре Adjustment

Cable can be shortened Solid

Diameter Ceiling cap color

90 cm

Width Ceiling cap dimensions 90 cm 12 cm 2.5 cm Production technique Length

Height Wood due diligence

Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / 66 cm Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Cord Website, Veneer, Oak, Quercus alba, The United States of America / Shade 3 m Dark brown bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

Textile cord Netspænding Dimmable 230 V~50 Hz Yes, if the bulb is dimmable and if your Vendor Title

electrical system MADE SPECIFIC, Denmark

allows it **Total Net Weight**

Light source included 8,40 kg

No EAN

Socket 5702410570634

E27

20-138-04

Lucén Table Lamp



Shade Hz Sand fabric 50 Hz Lamp base IP Rating Oiled oak, Solid 20 IP Shade width Classification

28 cm Class II Diameter Switch position 28 cm On cord

Width Wood due diligence

Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Height Website, Veneer, Oak, Quercus alba, The United States of America / Shade 42 cm bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America

Cord

2.50 m Amber Textile Netspænding 230 V~50 Hz cord Plug type Dimmable ΕU Yes, if the bulb is

dimmable and if your Vendor Title

electrical system MADE SPECIFIC, Denmark allows it Total Net Weight

Light source included 2.20 kg No EAN

Socket 5702410570696

E27

The parcel's

measurements

The parcel's measurements 1: 0.67 m3, 17.8 kg (D 93.0 cm, W 93.0 cm, H 77.0 cm))

The parcel's

measurements

The parcel's measurements 1: 0.05 m3, 3.7 kg (D 31.0 cm, W 32.0 cm, H 50.0 cm))

Lucén Floor Lamp - cylinder



Shade Socket Sand fabric E27 Lamp base Hz Dark oiled oak, Solid 50 Hz Shade width **IP Rating** 20 IP Diameter Classification

42 cm Class II Width Switch position 42 cm

Length Wood due diligence

Shade top, 1, Website, Solid, Oak, Quercus alba, The United States of America / 42 cm Exterior ring, 1, Website, Plywood, Poplar, Populus alba, China / Exterior ring, 1, Height Website, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, 1, Website, Solid, Oak, Quercus alba, The United States of America Cord

Netspænding 3 m Dark brown 50 Hz Textile cord Plug type Dimmable Yes, if the bulb is

dimmable and if your Vendor Title

MADE SPECIFIC, Denmark electrical system

allows it **Total Net Weight**

Light source included 4 kg

No EAN

5702410570795

The parcel's

measurements

The parcel's measurements 1: 0.13 m3, 6.15 kg (D 44.0 cm, W 44.0 cm, H 65.0 cm))

Materials and surfaces











