

# Circ


suspension lamp



## Table of contents

|                                               |        |
|-----------------------------------------------|--------|
| 1. Product overview                           | Page 2 |
| 2. Finishes and materials                     | Page 2 |
| 3. Light Source & dimming                     | Page 2 |
| 4. Photometric data and technical information | Page 2 |
| 5. Functionality & accessories                | Page 3 |
| 6. Recommended use & installation height      | Page 3 |
| 7. Installation                               | Page 3 |
| 8. Ordering codes                             | Page 4 |
| 9. Certifications & standards                 | Page 7 |
| 10. Maintenance & Cleaning                    | Page 7 |

## Versions



CIR\_3815  
Page 4



CIR\_3816  
Page 5



CIR\_R30S1SP1MP  
CIR\_R12R1SP1MP  
Page 6



CIR\_3815 + Vegetation KIT  
CIR\_3816 + Vegetation KIT  
Page 4-5

# Circ

suspension lamp

## 1. Product overview

Metallic suspension lamp with a circular design that enhances contemporary interiors. Provides soft, diffused illumination through satin-finished opal glass shades, which emit a gentle glow suitable for ambient lighting. Features adjustable height and the possibility to create custom compositions. A vegetation kit with artificial greenery can be added for a decorative touch.

The lamp is compatible with two canopy formats:

A large 300 mm canopy, which houses the integrated drivers.

A compact 120 mm canopy, which requires remote drivers and installation in a dropped ceiling with a Ø 50 mm drill hole.

Vegetation kit: not waterproof / Maximum load: 30 kg



## 2. Finishes and Materials



**Shade:** Glass

**Body:** 61 Satin Gold  
26 Black

We offer custom  
plated or RAL finishes.

**Canopy:** 26 Black

## 3. Light Source & Dimming

### Lamping per head:

LED 6,2W (Ang. 120° / >90 CRI / 350mA) 230V  
2700K / Typ\* 725 lumens

\*Integrated LED module (included).

### Dimming options:

Standard: TRIAC


Optional: DALI, CASAMBI

## 4. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp.

Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.




# Circ


suspension lamp

## 5. Functionality & Accessories

Possibility to create different compositions. Versions and sizes available for projects. Consult our offices.



**Possible compositions:**




### Accessory:

Vegetation KIT with artificial greenery included.

Not waterproof. Maximum 30 kg.

Code: 123815262



## 6. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.

## 7. Installation

Surface canopy



Compact canopy with remote driver



Ø 50 mm drill in  
dropped ceiling

# Circ

suspension lamp

## 8. Ordering Codes

### Lamping

LED 4x6,2W (Ang 120° / >90 CRI / 350mA) 230V  
2700K / Typ\* 4x725 lumens


**Canopy:** Single

**DIM:** TRIAC (Optional DALI, CASAMBI)

### Finishes

Canopy:  
26 Black

Body:  
61 Satin Gold  
26 Black




| Drawing          | Mounting                                                                        | Finish Canopy             | Finish Body                    | Ordering Code                                 |
|------------------|---------------------------------------------------------------------------------|---------------------------|--------------------------------|-----------------------------------------------|
| <p>CIR_3815S</p> | <p>Surface mounted.<br/>Driver in the<br/>canopy.</p>                           | <p>Black</p> <p>Black</p> | <p>Black</p> <p>Satin Gold</p> | <p>CIR_3815S_2626W</p> <p>CIR_3815S_2661W</p> |
| <p>CIR_3815R</p> | <p>Surface mounted.<br/>Compact canopy.<br/>Remote driver<br/>Ø 50 mm drill</p> | <p>Black</p> <p>Black</p> | <p>Black</p> <p>Satin Gold</p> | <p>CIR_3815R_2626W</p> <p>CIR_3815R_2661W</p> |

### Vegetation KIT Ordering Codes:

Artificial greenery included.  
Not waterproof. Maximum 30 kg.

Black 123815262



### Vegetation KIT Ordering Codes:

Artificial greenery included.  
Not waterproof. Maximum 30 kg.

Black 123815262



# Circ

suspension lamp

## 8. Ordering Codes

### Lamping

LED 7x6,2W (Ang 120° / >90 CRI / 350mA) 230V  
2700K / Typ\* 7x725 lumens


**Canopy:** Single

**DIM:** TRIAC (Optional DALI, CASAMBI)

### Finishes


Canopy:  
26 Black

Body:  
61 Satin Gold  
26 Black



### Drawing

CIR\_3816S



### Mounting

Surface mounted.  
Driver in the  
canopy.

### Finish Canopy

Black  
Black

### Finish Body

Black  
Satin Gold

### Ordering Code

CIR\_3816S\_2626W  
CIR\_3816S\_2661W

### Vegetation KIT Ordering Codes:


Artificial greenery included.  
Not waterproof. Maximum 30 kg.

Black 123815262

More information about Circ + Vegetation KIT here.



CIR\_3816R



Surface mounted.  
Compact canopy.  
Remote driver  
Ø 50 mm drill

Black  
Black

Black  
Satin Gold

CIR\_3816R\_2626W  
CIR\_3816R\_2661W

### Vegetation KIT Ordering Codes:

Artificial greenery included.  
Not waterproof. Maximum 30 kg.

Black 123815262

More information about Circ + Vegetation KIT here.



# Circ

suspension lamp

## 8. Ordering Codes

### Lamping

LED 11x6,2W (Ang 120° / >90 CRI / 350mA) 230V  
2700K / Typ\* 11x725 lumens

**Canopy:** Single

**DIM:** TRIAC (Optional DALI, CASAMBI)

### Finishes

Canopy:  
26 Black

Body:  
61 Satin Gold  
26 Black



| Drawing                | Mounting                                                              | Finish Canopy | Finish Body | Ordering Code        |
|------------------------|-----------------------------------------------------------------------|---------------|-------------|----------------------|
| CIR_R30S1SP1MP<br><br> | Surface mounted.<br>Driver in the canopy.                             | Black         | Black       | CIR_R30S1SP1MP_2626W |
|                        |                                                                       | Black         | Satin Gold  | CIR_R30S1SP1MP_2661W |
| CIR_R12R1SP1MP<br><br> | Surface mounted.<br>Compact canopy.<br>Remote driver<br>Ø 50 mm drill | Black         | Black       | CIR_R12R1SP1MP_2626W |
|                        |                                                                       | Black         | Satin Gold  | CIR_R12R1SP1MP_2661W |

---

# Circ

suspension lamp

---

## 9. Certifications & Standards

CIR\_3815R  
CIR\_3816R

CE



IP  
20

960°



CIR\_3815S  
CIR\_3816S

CE



IP  
20

960°



Warranty: 2 years  
100% made in Spain

---

## 10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.

# Vegetation KIT

suspension accessory



## Table of contents

|                                          |        |
|------------------------------------------|--------|
| 1. Product overview                      | Page 2 |
| 2. Finishes and materials                | Page 2 |
| 3. Recommended use & installation height | Page 2 |
| 4. Installation                          | Page 2 |
| 5. Ordering codes                        | Page 3 |
| 6. Certifications & standards            | Page 5 |
| 7. Maintenance & Cleaning                | Page 5 |

## Available compositions



Circ  
Page 3



Laverd  
Page 3



Aro  
Page 4



Single  
Page 4

# Vegetation KIT

suspension accessory

## 1. Product overview

Metallic suspension accessory with circular body and artificial greenery.  
Suitable use in suspension Circ, Aro and Laverd lamps.  
Also available individually.  
Not waterproof. Can withstand a maximum of 30kg.



## 2. Finishes and Materials




Not waterproof metal body  
Artificial greenery

More vegetation finishes available for projects. Consult our offices.

## 3. Recommended use & Installation height

Suitable for suspension lamps for general illumination.  
We **recommend positioning** the accessory approximately  
**50 cm below the light source.**



## 4. Installation

Non-luminous accessory. No power supply or wiring required.  
Only requires three ceiling anchor bolts.

# Vegetation KIT

suspension accessory


## 5. Ordering Codes

**Lamp:** Circ  
CIR\_3816

**Finishes**  
Black metal body  
Artificial greenery

**Vegetation Ordering Code**  
123815262

### Drawing




**Lamp:** Laverd  
LAV\_3806

**Finishes**  
Black metal body  
Artificial greenery

**Vegetation Ordering Code**  
123815262

### Drawing



# Vegetation KIT

suspension accessory



## 5. Ordering Codes

Lamp: Aro  
ARO\_3543S

Finishes  
Black metal body  
Artificial greenery

Vegetation Ordering Code  
123815262

### Drawing





Lamp: No Lamp  
Only Accessory

Finishes  
Black metal body  
Artificial greenery

Vegetation Ordering Code  
123815262

### Drawing



---

# Vegetation KIT

suspension accessory

---

## 6. Certifications & Standards



Warranty: 2 years

100% made in Spain

---

## 7. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.