

# VL RING CROWN TABLE LAMP

VL Ring Crown Table Lamp - 5744613334

The VL Ring Crown Table Lamp offers direct downward light through the opening at the bottom of the glossy, mouth-blown glass shade. The three-layered opal white glass provides soft, diffused and uniform illumination that surrounds the lamp, ensuring pleasant, glare-free lighting and an inviting ambience.



## Vilhelm Lauritzen

Vilhelm Lauritzen (1894–1984) is one of the most significant architects in the history of Denmark; he was the trail-blazing figurehead of Danish functionalism. A number of his buildings – Nørrebro Theatre (1931–32), Daeils Varehus department store (1928–35), Radihuset (1936–41) and the first airport built in Kastrup (1937–39) – represented the concentrated essence of contemporary life.



## Product info

### Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

### Mounting

3 m. White textile cord with plug. Switch on the base

### Finish

Glossy, Mouth-blown, 3-layered, polished opal glass. Satin polished brass.

### Materials

Mouth-blown 3-layered opal glass. Brass.

### Sizes and weights

width x Height x Length (mm) | 273 x 1313 x 240 Max 2.2 kg

### Class

Ingress protection IP20. Electric shock protection II.

### Light source

1x40W E14

### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.



## Related products



PH 2/1 Table Lamp




VL 38 Table Lamp



Yuh Table Lamp



AJ Mini Table Lamp



VL Studio Table/Floor Lamp



Keglen Table Lamp



NJP Mini Table Lamp



AJ Oxford Table Lamp



PH 2/1 Pale Rose Brass Table Lamp


## VL Ring Crown Table Lamp



PH 2/1 Portable Lamp



PH 2/1 Aged Brass Table Lamp




Panthella 160 Portable Lamp



Tomoshi Portable Lamp



VL 45 Radiohus Portable Lamp



Panthella 250 Portable Lamp




PH 2/2 Luna Aged Brass Opal Table Lamp




Rumee 220 Portable Lamp

# Light distribution diagrams


## Cartesian



## Isolux



## Polar



## Data specifications

Colour	Brass/opal glass	Length	240
Width	273	Height	1313
Built-in Height	-	IP class	-
Class	-	Net Weight	2.2
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	1x40W E14
Kelvin	-	CRI	-
SDCM	-	Lumen	417
Watt	4.5	Efficacy	93
Light control	-	Min. Dim Level (%)	-
UGR Transversal / Axial	16.6/16.6	L80B50 (hours)	-
Driver life	-		