



Wall Lights | 220-240 V | 1x7W E27

9734



#### Technical data

|  |                       |
|--|-----------------------|
| Type   | Wall Lights           |
| Installation position                          | Wall lights - Ceiling |
| Installation environment                       | Indoor                |
| Bulb included                                  | Yes                   |
| Lamp cap                                       | 1 x E27               |
| Frequency                                      | 50-60 Hz              |
| Optics   | Diffused              |
| Safety class                                   | 1                     |
| IP   | IP20                  |
| Glow wire test                                 | 850°                  |
| Direct mounting on normally flammable surfaces | Yes                   |
| CE   | Yes                   |
| Dimmable article                               | No                    |
| Directional                                    | No                    |
| Tilting  | No                    |
| Walk-over                                      | No                    |
| Drive-over                                     | No                    |
| Cable included                                 | No                    |
| Resin potting                                  | No                    |
| Net weight                                     | 0.900 Kg              |

#### Finishing casing

|            |                  |
|------------|------------------|
| Material   | Aluminium - PMMA |
| Colour     | White RAL 9016   |
| Processing | Coating          |

#### Finishing mounting frame

|            |           |
|------------|-----------|
| Material   | Aluminium |
| Colour     | white     |
| Processing | Coating   |

Wall Lights | 220-240 V | 1x7W E27  
9734

Single emission wall lights for indoor application. LED lamp included, lamp cap E27 1x7W.

The device body is made of aluminium and features a white ral 9016 finish, processed by means of coating. The device body is made of pmma; the mounting frame is made of aluminium, with a white finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 0.900 kg.

The device features protection class I and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

#### Energy efficiency class

This product contains a light source of energy efficiency class F.

#### Illuminotechnical Features

|  |            |
|--|------------|
| Source lumens                          | 650 lm     |
| Colour temperature                     | 2700 K     |
| Colour rendering index                 | 80 Ra      |
| Source lumens                          | 1 x 650 lm |
| Standard Operating Ambient Temperature | 25°C       |

Goletta | Wall Lights | Accessories  
**9734**

Bracket

installation position: wall lights

**Code**

Kit0111