MODULAR LIGHTING — INSTRUMENTS

Date	
Customer	
Project	
Type	

Kogel Track 48V Adjustable 58 1x LED 2700K DALI White Structure



A spotlight with extremely flexible rotation, Kogel will leave you gasping in wonder. For starters, it uses a ball joint as a rotation mechanism. So yes, turning it all kinds of ways is possible. And no, the wires won't get all twisted inside. It just works and you'll love it on ceilings and walls. Designed by Odin and Jaap of Studio Kees, Kogel is truly a light that gives pleasure.

Specifications

Material	13700309
Light Source Type	LED
LED Type	BRIDGELUX V6 HD G8
LED technology	LED COB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B10 @50,000 Hours
Number of Light Sources	1
CIE flux code	98 100 100 100 66
Binning (SDCM)	2
Light Direction	Down
Input Voltage	48Vdc
Luminaire power (W)	14.0
IP Rating	20
Dimming Protocol	DALI
DALI Standard	DALI version-1
Indoor/Outdoor	Indoor
Application	Ceiling
Adjustability	H 360° V 50°
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	880.0
Delivered lumens (lm)	842
Efficacy (lm/W)	60
Glare rating	21
Remark	• Magnetic reflector or lens not included. • This is not a complete product. Pista track 48V system required. • This is not a complete product. Pista track 48V system required. • For installations without dimmer, it is recommended to use 1-10 V luminaires.

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2025-03-13, 04:44:19 AM - ©Modular Lighting Instruments

TM30 & CRI diagram





Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2025-03-13, 04:44:19 AM - ©Modular Lighting Instruments

Optical Accessories



10222630 Lens 51 Spot
10222730 Lens 51 Medium
10222830 Lens 51 Flood
10222930 Lens 51 Wide Flood



10219930 Reflector 51 Spot Aluminium Anodised
10220030 Reflector 51 Medium Aluminium Anodised
10220130 Reflector 51 Flood Aluminium Anodised

Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2025-03-13, 04:44:19 AM - ©Modular Lighting Instruments