



## PROJECT

## TYPE

## NOTES

## QUANTITY

## DATE



Ceiling suspended luminaire made from aluminium; surface Black Matt + Copper; inclusive black adjustable cable suspension max. 4000mm; lamp socket E27; lamp type A60; max. 20W; 100 - 240 V; degree of protection IP20; Class 1;

## GENERAL

Ceiling  
Suspended  
Black Matt + Copper  
IP20  
Interior  
CIE flux code: 52 91 99 100 46

## MEASURED LAMP

9003E152  
355 lm  
9.3 W

## LED

lamp A60  
socket E27  
max. per socket 20.0 W  
2700 K  
CRI  $\geq$  90

## OPTICAL

UGR < 19  
 $\geq 65^\circ$  < 1500 cd/m<sup>2</sup>



## ELECTRICAL

100 - 240 V  
Class 1

## PHYSICAL

diameter 252 mm  
height 301 mm  
0.6 kg  
cable length 4000 mm

## LIGHT DISTRIBUTION





## LAMPS

### A60 LED Lamp

| Type        | Ø-H (MM) | Item number |
|-------------|----------|-------------|
| 2700K   E27 | 60-110   | 9003E152    |

## MOUNTING ACCESSORIES

### Cable Wall-Ceiling Bracket

| Colour | Ø-H (MM) | Item number |
|--------|----------|-------------|
| White  | 16-30    | 90019197    |
| Black  | 16-30    | 90019198    |

### Hook

| Type                           | Colour | Ø-H (MM) | Item number |
|--------------------------------|--------|----------|-------------|
| standard multi suspension hook | Black  | 3-83     | 90052024    |
| standard multi suspension hook | White  | 3-83     | 90052025    |
| optional multi suspension hook | Black  | 5-90     | 90052065    |
| optional multi suspension hook | White  | 5-90     | 90052066    |
| for cable 4.25-5.5mm diameter  | White  | 15-35    | 90052079    |
| for cable 4.25-5.5mm diameter  | Black  | 15-35    | 90052080    |

### Invisible ceiling base

| Colour | L-W (MM) | Item number |
|--------|----------|-------------|
| Black  | 140-66   | 90015195    |
| White  | 140-66   | 90015196    |

### Multiple base linear

| Type                    | Colour | L-W-H (MM) | Item number |
|-------------------------|--------|------------|-------------|
| up to max. 2 luminaires | White  | 600-30-45  | 90052007    |
| up to max. 2 luminaires | Black  | 600-30-45  | 90052008    |
| up to max. 3 luminaires | White  | 900-30-45  | 90052009    |
| up to max. 3 luminaires | Black  | 900-30-45  | 90052010    |
| up to max. 4 luminaires | White  | 1200-30-45 | 90052011    |
| up to max. 4 luminaires | Black  | 1200-30-45 | 90052012    |
| up to max. 5 luminaires | White  | 1500-30-45 | 90052013    |
| up to max. 5 luminaires | Black  | 1500-30-45 | 90052014    |

### Multiple base round

| Type                    | Colour | Ø-H (MM) | Item number |
|-------------------------|--------|----------|-------------|
| up to max. 4 luminaires | White  | 123-44   | 90052005    |
| up to max. 4 luminaires | Black  | 123-44   | 90052006    |
| up to max. 8 luminaires | White  | 123-44   | 90052031    |
| up to max. 8 luminaires | Black  | 123-44   | 90052032    |

### Semi recessed base

| Type                               | Colour | Ø-H (MM) | Item number |
|------------------------------------|--------|----------|-------------|
| for shades without steel wire only | White  | 84-72    | 90052026    |
| for shades without steel wire only | Black  | 84-72    | 90052027    |

### Single base

| Type               | Colour | Ø-H (MM) | Item number |
|--------------------|--------|----------|-------------|
| ceiling base round | Black  | 84-29    | 90052021    |
| ceiling base round | White  | 84-29    | 90052022    |

**Wall Base****Type**

for 1 luminaire

**Colour**

White

**Ø-H (MM)**

82-32

**Item number**

90019195

for 1 luminaire

Black

82-32

90019196