



**PROJECT**

**TYPE**


**NOTES**

**QUANTITY**

**DATE**



Ceiling suspended luminaire made from aluminium; surface Gold wet painted; matt texture; inclusive adjustable cable suspension max. 4000mm in Signal Black; lamp socket GU10; lamp type PAR16; max. 12W; 100 - 240 V; degree of protection IP20; Class 1; ceiling base not included;



**GENERAL**

Ceiling  
Suspended  
Gold  
IP20  
Interior  
CIE flux code: 94 98 100 100 98

**LED**

lamp PAR16  
socket GU10  
max. per socket 12.0 W  
CRI  $\geq$  90

**ELECTRICAL**

100 - 240 V  
Class 1

**PHYSICAL**



diameter 191 mm  
height 150 mm  
0.75 kg

**MEASURED LAMPS**

PAR16 LAMP 3000K CRI90  
470 lm  
6.5 W

PAR16 LAMP 2700K CRI90  
450 lm  
6.5 W

**LIGHT DISTRIBUTION**





## MOUNTING ACCESSORIES

### Cable Wall-Ceiling Bracket

| Colour | Ø-H (MM) | Item number |
|--------|----------|-------------|
| White  | 16-30    | 90019197    |
| Black  | 16-30    | 90019198    |

### Hook

| Type                           | Colour | Ø-H (MM) | Item number |
|--------------------------------|--------|----------|-------------|
| standard multi suspension hook | Black  | 3-83     | 90052024    |
| standard multi suspension hook | White  | 3-83     | 90052025    |
| optional multi suspension hook | Black  | 5-90     | 90052065    |
| optional multi suspension hook | White  | 5-90     | 90052066    |
| for cable 4.25-5.5mm diameter  | White  | 15-35    | 90052079    |
| for cable 4.25-5.5mm diameter  | Black  | 15-35    | 90052080    |

### Invisible ceiling base

| Colour | L-W (MM) | Item number |
|--------|----------|-------------|
| Black  | 140-66   | 90015195    |
| White  | 140-66   | 90015196    |

### Multiple base linear

| Type                    | Colour | L-W-H (MM) | Item number |
|-------------------------|--------|------------|-------------|
| up to max. 2 luminaires | White  | 600-30-45  | 90052007    |
| up to max. 2 luminaires | Black  | 600-30-45  | 90052008    |
| up to max. 3 luminaires | White  | 900-30-45  | 90052009    |
| up to max. 3 luminaires | Black  | 900-30-45  | 90052010    |
| up to max. 4 luminaires | White  | 1200-30-45 | 90052011    |
| up to max. 4 luminaires | Black  | 1200-30-45 | 90052012    |
| up to max. 5 luminaires | White  | 1500-30-45 | 90052013    |
| up to max. 5 luminaires | Black  | 1500-30-45 | 90052014    |

### Multiple base round

| Type                    | Colour | Ø-H (MM) | Item number |
|-------------------------|--------|----------|-------------|
| up to max. 4 luminaires | White  | 123-44   | 90052005    |
| up to max. 4 luminaires | Black  | 123-44   | 90052006    |
| up to max. 8 luminaires | White  | 123-44   | 90052031    |
| up to max. 8 luminaires | Black  | 123-44   | 90052032    |

### Semi recessed base

| Type                               | Colour | Ø-H (MM) | Item number |
|------------------------------------|--------|----------|-------------|
| for shades without steel wire only | White  | 84-72    | 90052026    |
| for shades without steel wire only | Black  | 84-72    | 90052027    |

### Single base

| Type               | Colour | Ø-H (MM) | Item number |
|--------------------|--------|----------|-------------|
| ceiling base round | Black  | 84-29    | 90052021    |
| ceiling base round | White  | 84-29    | 90052022    |

### Wall Base

| Type            | Colour | Ø-H (MM) | Item number |
|-----------------|--------|----------|-------------|
| for 1 luminaire | White  | 82-32    | 90019195    |
| for 1 luminaire | Black  | 82-32    | 90019196    |

## OPTICAL ACCESSORIES

[‘287620GG0’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.

© Wever & Ducré BV · Spinnerijstraat 99/21 · 8500 Kortrijk · Belgium · [www.weverducre.com](http://www.weverducre.com)


**Inner cover**

| Type                         | Colour | Ø-H (MM) | Item number |
|------------------------------|--------|----------|-------------|
| suitable for ODREY 1.6   1.7 | Black  | 55-42    | 911420B0    |
| suitable for ODREY 1.6   1.7 | Gold   | 55-42    | 911420G0    |
| suitable for ODREY 1.6   1.7 | White  | 55-42    | 911420W0    |

## ELECTRICAL ACCESSORIES

**LED LAMPS**

| Colour        | Item number |
|---------------|-------------|
| Black Texture | W901228B3   |
| Black Texture | W901228B5   |

## LAMPS

**PAR16 LED Lamp**

| Type                   | Colour | Ø-H (MM) | Item number |
|------------------------|--------|----------|-------------|
| 2700K   >90 CRI   GU10 | White  | 50-60    | 901228W3    |
| 3000K   >90 CRI   GU10 | White  | 50-60    | 901228W5    |
| 2700K   >80 CRI   GU10 | Silver | 50-60    | 905227S2    |
| 3000K   >80 CRI   GU10 | Silver | 50-60    | 905227S4    |

## TRACK ACCESSORIES

**Track Adapter 2.0**

| Type          | Colour | L·W·H (MM) | Item number |
|---------------|--------|------------|-------------|
| 1-phase track | White  | 80-24-26   | 90014277    |
| 1-phase track | Black  | 80-24-26   | 90014278    |