



**PROJECT** \_\_\_\_\_

**TYPE** \_\_\_\_\_

**NOTES** \_\_\_\_\_

**QUANTITY** \_\_\_\_\_

**DATE** \_\_\_\_\_



**GENERAL**

Ceiling / Wall \_\_\_\_\_  
 Surface \_\_\_\_\_  
 Felt Anthracite \_\_\_\_\_  
 IP20 \_\_\_\_\_  
 Interior \_\_\_\_\_  
 CIE flux code: 9 22 47 43 41 \_\_\_\_\_


**MEASURED LAMP**

Gold Mirror \_\_\_\_\_  
 9003E142 \_\_\_\_\_  
 190 lm \_\_\_\_\_  
 5.2 W \_\_\_\_\_

**LED**

lamp G95 \_\_\_\_\_  
 socket E27 \_\_\_\_\_  
 max. per socket 15.0 W \_\_\_\_\_  
 2700 K \_\_\_\_\_  
 CRI ≥ 90 \_\_\_\_\_

**LIGHT DISTRIBUTION**




**ELECTRICAL**

220 - 240 V \_\_\_\_\_  
 Class 1 \_\_\_\_\_

**PHYSICAL**

diameter 450 mm \_\_\_\_\_  
 height 77 mm \_\_\_\_\_  
 0.67 kg \_\_\_\_\_

Round ceiling/wall surface luminaire integrated in an acoustic element made of high quality PET felt with sound absorbing properties; surface Felt Anthracite; lamp socket E27; lamp type G95; max. 15W; 220 - 240 V; degree of protection IP20; Class 1; lamp not included;



[‘6322E0AFO’] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of Wever & Ducré BV apply.



## LAMPS

### G95 LED Lamp

#### Type

	Colour	Ø·H (MM)	Item number
2700K   E27	Gold Mirror	94-136	9003E142
2200K   E27	Gold Mirror	96-138	9003E156
2700K   E27	Silver Mirror	94-136	9003E157
2700K   E27		96-138	9003E160