# moooi

# Dear Ingo

**RON GILAD** 



So familiar and yet so imaginative. Designed by Ron Gilad, Dear Ingo is a top-class eye-catcher that begs to be played with. Dear Ingo can be put in various forms and sizes and it leaves no spot in your interior unexposed.

### Detailing



The spider-like design of the Dear Ingo combines 16 lamps, from which each has its own adjustable arm. Shine some light!

### Colours




Black

White

### Dear Ingo

#### **Dimensions**

80cm-240cm | 31.5"-94.5"





#### Product

**WIDTH** 171cm | 67.3" **HEIGHT** 50cm | 19.7" **DEPTH** 80cm | 31.5" **DIAMETER** 80cm | 31.5" **WEIGHT NETTO** 14.5kg | 31.97lbs

#### **Packaging**

width 87cm | 34.3" Height 68cm | 26.8" Cubage 0.43m<sup>3</sup> | 15.25ft<sup>3</sup> Length 73cm | 28.7" Weight 20kg | 44.09lbs

#### Technical CE

#### MATERIAL

Powder-coated steel

**ENERGY LABEL** 

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

960W

RECOMMENDED LIGHTSOURCE

Globe, 60W MAX

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

**DIMMING & LIGHTING CONTROL** 

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

 $\epsilon$ 

Technical UL

MATERIAL

Powder-coated steel

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

16

FREQUENCY 50/60

LAMPHOLDER

E27

CABLE COLOUR

Black

CANOPY

Pebble II Black, ABS, Pebble II White, ABS

**ENERGY LABEL** 

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

110-127V

MAX POWER CONSUMPTION

960W

RECOMMENDED LIGHTSOURCE

Globe, 60W MAX

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

**DIMMING & LIGHTING CONTROL** 

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

-16

FREQUENCY 50/60

LAMPHOLDER

E26

**CABLE COLOUR** 

Black

CANOPY

Chrome Canopy

## Dimming & Lighting Control

## Mains dimmable with compatible light source

Compatible models: Dear Ingo CE, Dear Ingo UL