

DOO-WOP

Doo-Wop - 5741093504

The fixture primarily provides a downward directed soft light by means of the white lacquered inner conical reflector. The outer reflector, the main shade, contributes to directing the light up- and downwards, while at the same time spreading the soft diffused light. The inside of the main shade is illuminated through an opening in the inner conical reflector.



**Carl Hansen &
Son Showroom**



INGENIØR'NE

Product info

Mounting

Suspension type: Cable 2x0,75mm². Canopy: Yes. Cable length: 3m.

Finish

White or Dark Grey, powder coated or polished Brass or Copper. Please note that the brass and copper surfaces are untreated. This means that the surface will change over time and develop a patina. This process may have already begun when the product is delivered.

Materials

Shade: Spun aluminium, brass, or copper. Suspension: Spun aluminium. Struts: Stainless steel.

Sizes and weights

Width x Height x Length (mm) | 283 x 245 x 283 Max 1.8 kg

Class

Ingress protection IP20. Electric shock protection II.


Light source

1x60W E27




Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
Canopy White 2-part tophat ®	5749329034
Doo-Wop socket + cord suspension	5741094613

Data specifications

Colour	Copper	Length	283
--------	--------	--------	-----

Doo-Wop

Width	283
Built-in Height	-
Class	II
Standby (W)	-
Inrush Current	-
Kelvin	-
SDCM	-
Watt	-
Light control	-
UGR Transversal / Axial	18.7/18.7
Driver life	-

Height	245
IP class	20
Net Weight	1.8
Power Factor (P = 100 % / P = 50 %)	-
Light source	1x60W E27
CRI	-
Lumen	-
Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-