

m o o o i

Emperor Suspended

NERI AND HU




Once upon a time an Asian emperor received as a gift a nightingale. The charming bird sang so beautifully that the emperor always wanted it by his side. He placed the nightingale a majestic hand woven bamboo cage in the imperial chambers and listened, enchanted, to the magic sound...

Detailing



The Emperor features a glass diffuser, that creates a very warm and charming glow of light.

Colours




RAL 9005
Jet black



RAL 3004
Purple red

Emperor Suspended / Large

Dimensions



Product

WIDTH 160cm | 63"
HEIGHT 115cm | 45.3"
DEPTH 160cm | 63"
DIAMETER 160cm | 63"
WEIGHT NETTO 18kg | 39.68lbs

Packaging

WIDTH 174cm | 68.5"
HEIGHT 121cm | 47.6"
CUBAGE 3.66m³ | 129.37ft³
LENGTH 174cm | 68.5"
WEIGHT 33kg | 72.75lbs

Technical CE

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

2G11

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

4

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

36W

CABLE COLOUR

Black textile

CANOPY

Pebble II Black, ABS

DIMMING & LIGHTING CONTROL

DALI dt6

See last page for more information about the dimming possibilities.



Technical UL

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

2G11

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

4

INPUT VOLTAGE

110-127V

MAX POWER CONSUMPTION

36W

CABLE COLOUR

Black textile

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

DALI dt6

See last page for more information about the dimming possibilities.

Emperor Suspended / Medium

Dimensions

100cm | 39.4"



73cm | 28.7"

Product

WIDTH 100cm | 39.4"**HEIGHT** 73cm | 28.7"**DEPTH** 100cm | 39.4"**DIAMETER** 100cm | 39.4"**WEIGHT NETTO** 8kg | 17.64lbs

Packaging

WIDTH 104.5cm | 41.1"**HEIGHT** 82.5cm | 32.5"**CUBAGE** 0.9m³ | 31.82ft³**LENGTH** 104.5cm | 41.1"**WEIGHT** 22kg | 48.5lbs

Technical CE

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Black textile

CANOPY

Pebble II Black, ABS

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



*Technical UL***MATERIAL**

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

GU24

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110-127V

MAX POWER CONSUMPTION

26W

CABLE COLOUR

Black textile

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source


See last page for more information about the dimming possibilities.



Emperor Suspended / Small

Dimensions

60cm | 23.6"



Product

WIDTH 60cm | 23.6"
HEIGHT 43cm | 16.9"
DEPTH 60cm | 23.6"
DIAMETER 60cm | 23.6"
WEIGHT NETTO 3kg | 6.61lbs

Packaging

WIDTH 64cm | 25.2"
HEIGHT 52cm | 20.5"
CUBAGE 0.21m³ | 7.52ft³
LENGTH 64cm | 25.2"
WEIGHT 6.5kg | 14.33lbs

Technical CE

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Black textile

CANOPY

Pebble II Black, ABS

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



Technical UL

MATERIAL

Bamboo rattan cage shade, glass diffuser

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Dome

FREQUENCY

50/60

LAMPHOLDER

E26

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110-127V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Black textile

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



Dimming & Lighting Control

DALI dt6

The luminaire is dimmable by integrating it into a DALI network. This is an universal and professional standard in home automation systems with endless control possibilities and ease. We advise to hire a professional to integrate the luminaire into your DALI network.

Compatible models: Large CE, Large UL

Mains dimmable with compatible light source

Compatible models: Medium CE, Medium UL, Small CE, Small UL
