Project name: / Project type: /

ENIGMA 545

Enigma 545 - 5741088755

The fixture emits glare-free, soft, comfortable downward light. The shade design ensures even illumination of the surface. The matt upper surface diffuses the light, while the glossy lower surface ensures optimal reflection.





Shoichi Uchiyama

Shoichi Uchiyama was born and bred in Tokyo. Since the foundation of Shoichi Uchiyama Design Office in 1977, he has been committed to creation of lighting fixtures with glare-free indirect light that make objects beautiful, and allow people to feel the texture and depth of objects.



Sinatur Hotel



RealDania

Enigma 545

Product info

Mounting

Suspension type: Cable 2x0,75mm². Canopy: Yes. Cable length: 3m

Finish

Brushed aluminium, clear coated or black wet painted. Shades: White or black acrylic.

Materials

Cone and pendant tube: Lacquered or wet painted brushed aluminium. Wire: Stainless steel. Shades: Acrylic.

Sizes and weights

Width x Height x Length (mm) | 545 x 970 x 545 Max 2.1 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

1x40W GU10


Related products





Enigma 425


Enigma 825





louis poulsen louispoulsen.com

Light distribution diagrams









Polar

Data specifications

Colour	Br. alu
Width	545
Built-in Height	-
Class	II
Standby (W)	-
Inrush Current	-
Kelvin	-
SDCM	-
Watt	-
Light control	-
UGR Transversal / Axial	9.5/9.5
Driver life	_

Length	545
Height	970
IP class	20
Net Weight	1.8
Power Factor (P = 100 % / P = 50 %)	-
Light source	1x40W GU10
CRI	-
Lumen	-
Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-

louis poulsen louispoulsen.com