
"Fine Suspension Lamp is a minimal design refined to include only the essential; a slim light, a form-pressed fixture with aluminum end caps, a cord. We wanted it to feel delicate, almost jewelry-like — a sleek band of white light. It is a simple, raw expression of clarity and directness with an industrial character. Possible to hang both horizontally and vertically, we designed it so that the lamp's light source is laid bare, yet gives a no-glare, comfortable light."



— TAF Studio

Designed by TAF Studio / 2021

About the designer TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson

and Mattias Ståhlbom. The duo works within product and interior design.

Environment Indoor

Country of Production China

**Description** Fine Suspension Lamp is a take on a classic tube light combining industrial minimalism with

refined detailing for a truly elegant expression. A uniquely versatile piece, it offers a myriad of options, available in three sizes that can be hung both horizontally and vertically, and as an ambient, general or task light with a 320 degree beam angle. These qualities make it a design with many faces; as understated lighting enhancing the space or a statement piece whether hung alone and in

clusters.

Material Body in pressure-die casted and extruded, powder coated aluminum. Diffuser in extruded opaque

plastic. Lamp driver integrated in white plastic canopy.

Dimmable, integrated and replaceable LED light designed for Right to Repair, meaning that light source can be replaced by an electrician only. Lumen maintenance: 35.000h. Kelvin: 2700K. CRI: >90.

Clean ing δ Care Clean with moist cloth. Always switch off electricity supply before cleaning.

**Cord length** 400 cm / 157"

Light source included 120 CM / 47.25", 60 CM / 23.5", 90 CM / 35.5": Yes

Ceiling Cap included 120 CM / 47.25", 60 CM / 23.5", 90 CM / 35.5": Yes



#### Dimensions

120 CM / 47.25"

 Height:
 1,8 cm / 0.7"

 Width:
 120 cm / 47.2"

 Depth:
 2,4 cm / 0.9"

 Cord Length:
 400 cm / 157"



60 CM / 23.5"

 Height:
 1,8 cm / 60"

 Width:
 0,7 cm / 23.6"

 Depth:
 2,4 cm / 0.9"

 Cord Length:
 400 cm / 157"




90 CM / 35.5"

 Height:
 1,8 cm / 0.7"

 Width:
 90 cm / 35.4"

 Depth:
 2,4 cm / 0.9"

 Cord Length:
 400 cm / 157"



#### Ready-to-ship

Black Grey Deep Red



#### Lamp rating

Voltage Frequency IP Rating Classification Socket **120 CM / 47.25"**220-240V
50/60Hz
IP20
Class II
Integrated, non

replaceable LEDs

120 CM / 47.25"

50/60Hz IP20 Class II Integrated, non replaceable LEDs

60 CM / 23.5"

220-240V

90 CM/35.5" 220-240V 50/60Hz IP20 Class II Integrated, non replaceable LEDs


### Light source specification

Integrated, non Item replaceable LEDs 21W Watt Lumen 1200lm Lumen Maintenance 30000h 2700K Kelvin CRI >90 Dimmable Yes. Risk Group Except

60 CM / 23.5" 90 CM / 35.5" Integrated, non Integrated, non replaceable LEDs replaceable LEDs 17W 13W 620lm 950lm 30000h 30000h 2700K 2700K >90 >90 Yes. Yes. Except Except



**Energy Label** 





Tests, Labels δ Certifications


Electromagnetic Compatibilty

Safety & Regulations

Electromagnetic Compatibility (EMC)

ECO Design Directive Low Voltage Directive 2014/35 EU (LVD) REACH

Restriction of Hazardous Substances Directive (RoHs) Waste of Electronic and Electrical Equipment (WEEE)





**Explore Assets** 

**DOWNLOADSITE** 

