




Ginger

Joan Gaspar


marset




Ginger B 20/44



Ginger B 20/63



Ginger B 20/86



Ginger B 20/44

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm

Ginger B 20/63

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm


Ginger B 20/86

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm

LED included

Lacquered aluminium structure and diffuser, with white interior always.

- Black-White (RAL 9005 - 9010)
- Rust brown




**Dimmable dependiendo de la fuente de alimentación adquirida. Alimentación eléctrica remota de 24V a pedir por separado.*




- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Fotometrías

Post accessory




Ground fixation plate



info@marset.com
www.marset.com


Range




The collection features new floor lamps, raised by means of a post that can be buried in dirt or gravel, perfect for illuminating pathways, gardens, terraces, and walls, and blending nicely with vegetation.




Ginger B 32/65



Ginger B 32/88



Ginger B 32/111



Ginger B 32/65

Fuente de luz:
LED SMD 24Vdc 10W 2700K CRI90
1030lm

Ginger B 32/88

Fuente de luz:
LED SMD 24Vdc 10W 2700K CRI90
1030lm


Ginger B 32/111

Fuente de luz:
LED SMD 24Vdc 10W 2700K CRI90
1030lm

LED incluido

Lacquered aluminium structure and diffuser, with white interior always.

- Black-White (RAL 9005 - 9010)
- Rust brown




* Dimmable depending on the purchased power supply .
24V remote power supply to be ordered separately.



Post accessory




Ground fixation plate




info@marset.com
www.marset.com


- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

Range







Ginger 60C IP65




Ginger 42C IP65




Ginger 32C IP65



Ginger 20C IP65



Ginger 15C IP65



Ginger 15C IP65

Ginger 15C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire:
 (Power supply not included) 67lm - Black-White
 (Power supply not included) 27lm - Rust brown

Ginger 20C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire:
 (Power supply not included) 161lm - Black-White
 (Power supply not included) 29lm - Rust brown

Ginger 32C IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire:
 220 - 240 VAC TRIAC 9W 350lm - Black-White
 220 - 240 VAC TRIAC 9W 81lm - Rust Brown

Ginger 42C IP65

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire:
 180 - 295 VAC TRIAC 19,71W 698lm - Black-White
 180 - 295 VAC TRIAC 19,71W 186lm - Rust brown

Ginger 60C IP65

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire:
 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White
 180 - 295 VAC TRIAC 26,09W 245lm - Rust brown

LED included


Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

- Rust brown
- Black-White (RAL 9005 - 9010)



- Download** Assembly Instructions
- Download** 2D
- Download** 3D
- Download** Photometric data

Range




info@marset.com


The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust brown for the exterior, which creates new and intense lighting effects.



Ginger 60/298



Ground fixation plate



Ginger 60/298

Light source:
LED SMD 1050mA 33,8W 2700K
CRI90 4037lm
Luminaire:
90 - 305 VAC 1-10V 35,8W 1463lm

LED included


Lacquered steel structure with black matt injected aluminium dissipater, and lacquered aluminium diffuser with white interior.

● Black-White (RAL 9005 - 9010)



- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

Range




info@marset.com
www.marset.com


The lamppost—at almost 3 meters high—is a design of function, a centrepiece of our new outdoor collection, on sober black, which discreetly illuminates your garden or the entryway to your outdoor space.



Ginger 32A IP65



Ginger 20A IP65



Ginger 20A IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire:
 (Power supply not included) 161lm - Black-White
 (Power supply not included) 291lm - Rust brown

Ginger 32A IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire:
 220 - 240 VAC TRIAC 9W 350lm - Black-White
 220 - 240 VAC TRIAC 9W 81lm - Rust Brown

LED included

Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

- Rust brown
- Black-White (RAL 9005 - 9010)


III* IP65 dimmable



- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

info@marset.com

Range



The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust brown for the exterior, which creates new and intense lighting effects.