



Roc

Joan Gaspar

marset

Wall light for indoor and outdoor use, with a pressed glass diffuser. Its wavy shade covers the light, softens it, and creates an inviting atmosphere. Now, Roc evolves to provide more light and expands its collection with two new sizes and a white finish.



All versions include two accessories: a dome-shaped piece that covers the LED and floods the shade with light, and another that acts as a filter to reduce glare. Roc resembles a shining block of ice, with an irregular texture that invites you to touch it.



Roc Mini

Code
A701-510-35-27K
A701-510-39-27K

Finish
● White (RAL 9003)
● Black (RAL 9005)


Materials
Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 2,9W 2700K CRI90 291lm
Luminaire: (Power supply not included) 109lm

Weight: Net 0,52 kg – Gross 0,68 kg
Package: 12 x 12 x 13,5 cm – 0,68 kg Vol – 0,0019 m³
LED included

Product notes: 3000K available upon request.
Wire installation: Hardwired
Accessory: Filter to reduce glare (Included).



Dimmable



IP65

Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II




info@marset.com
www.marset.com

Recessed accessory

Code Finish
A701-513 ● White

Materials
Structure: Stainless steel

Product type: Accessory
Product notes: Accessory to recess Roc Mini



Downward anti-glare accessory


Code Finish
A701-514 ● Black

Materials
Structure: Stainless steel


Product type: Accessory
Product notes: Accessory to reduce glare and guide light downward



Roc Mini



Roc Mini with Downward anti-glare accessory



Roc

Code	Finish	Tension	Class
A701-500-35-27K	● White (RAL 9003)	230 Vac	II
A701-500-39-27K	● Black (RAL 9005)	230 Vac	II
A701-504-35-27K	● White (RAL 9003)	24 Vdc	III
A701-504-39-27K	● Black (RAL 9005)	24 Vdc	III


Materials
Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac),
220-240 VAC version

Product type: Wall / Ceiling
Light source: LED SMD 500mA 7,1W 2700K CRI90 928lm
Luminaire: 220-240 VAC TRIAC 9,5W 421lm
Light source: LED SMD 24 Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included)

Weight: Net 1,64 kg – Gross 2,03 kg
Package: 19 x 19 x 19 cm – 2,03 kg Vol – 0,0069 m³
LED included

Product notes: 3000K available upon request.
Wire installation: Hardwired
Accessory: Filter to reduce glare (Included).



Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II



info@marset.com
www.marset.com

Roc Plus


Code	Finish
A701-502-35-27K	● White (RAL 9003)
A701-502-39-27K	● Black (RAL 9005)

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Shade: Pressed glass	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 500mA 8,3W 2700K CRI90 1115lm
Luminaire: 220-240 VAC TRIAC 10,8W 540lm

Weight: Net 2,40 kg – Gross 2,86 kg
Package: 22,5 x 22,5 x 19 cm – 2,86 kg Vol – 0,0096 m³
LED included

Product notes: 3000K available upon request.
Wire installation: Hardwired
Accessory: Filter to reduce glare (Included).



Dimmable

CE

ErC

UK

IP65



info@marset.com
www.marset.com