

MATIN FLOOR LAMP

PRODUCT FACT SHEET



HAY

MATIN FLOOR LAMP


DESIGN BY INGA SEMPÉ, 2023

The Matin Floor Lamp offers a contemporary yet poetic design, with a construction that combines visual delicacy with physical robustness. The flat-packed design consists of a slender polished brass steel frame complemented with matte black hardware and zinc alloy joints at the base, which is paired with a pleated cotton shade in a variety of carefully selected colours. The light source is an integrated LED, offering a diffused light which is accompanied by a digital in-line dimmer floor switch to adjust the output of light if required.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of contemporary table, floor, ceiling and wall lamps.
- Elegant floor lamp with a steel wire bent frame, paired with a pleated cotton shade in different colours.
- CE approved.
- Integrated LED light source ensuring a life span of at least 25,000 hours of use.
- In-line step dimmer floor switch.
- Suitable for both private and office environments.

DIMENSIONS



MATIN FLOOR LAMP 500

WIDTH 50 CM

DEPTH 50 CM

HEIGHT 129 CM

MATERIALS

SHADE

Cotton fabric laminated to a PVC sheet. Black top screw in injection moulded ABS.

BODY

Bent steel wire with polished brass finish, precision cast steel counter weight and injection moulded ABS.

CORD

Black silicone cable.

INLINE SWITCH

Injection moulded ABS.

COLOUR & FINISH

Please note that the colour codes are indicative.



WHITE



LAVENDER



YELLOW



PEACH

TECHNICAL SPECIFICATIONS


LIGHT SOURCE Integrated LED, 12W, 420lm, 2600K warm white	DIMMABLE Yes	POWER SUPPLY 220-240V AC at 50/60Hz	IP 20	CORD LENGTH 270 cm	SWITCH Inline step dimmer floor switch. Located 50 cm from lamp base.
---	------------------------	---	-----------------	------------------------------	---

TEST SPECIFICATIONS*

FLUX (LUMENS) 420lm	CCT (KELVIN) 2600K, warm white	CRI (1-100) 84
-------------------------------	--	--------------------------

*Photometrics and the specification shown is taken using the integrated LED bulb fitted in the production luminaire.


PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including

- EN 61547:2009 (EMC immunity requirements (EMC))
- EN IEC 61000-3-2:2019/A1:2021 (Limits for harmonic current emissions (EMC))
- EN IEC 55015:2019/A1:2020 (Radio disturbance (EMC))
- EN 62031:2020 (Safety specifications for LED modules for general lighting (LVD))
- EN 61000-3-3:2013/A2:2021 (Limits and limitations of voltage changes (EMC))
- EN 60598-2-4:2018 (Particular requirements for portable general purpose luminaires (LVD))
- EN 60598-1:2021 (General requirements and tests for luminaires (LVD))
- EN 62493:2015 (Assessment of lighting equipment related to human exposure to electromagnetic field (LVD))

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)