


OMNI CEILING LAMP

Designed by Søren Ravn Christensen



Pendant lamp



DIMENSIONS (H x W x D)

59-133.4 x 74 x 6.6 cm / 23.2-52.5 x 29.1 x 2.6"



MARKINGS, TESTS & CERTIFICATIONS

CE, UKCA (for indoor use), IP2X



MATERIAL

Steel, aluminium, PP and PMMA



WARRANTY

10-year warranty against manufacturer defects



LIGHT SOURCE

17W LED panel built-in. 2700 K - 1000 lumen CRI: 94
≥30000 H. Dimmable



WEIGHT

1.8 kg / 4 lb



WEIGHT INCL. PACKAGING

2.9 kg / 6.4 lb



PACKAGING DIMENSIONS (L x W x H)

21.1 x 38.1 x 9.1 cm / 8.3 x 15 x 3.6"



ASSEMBLY TIME

15 min



MEDIA KIT

Photos and press material
Download at umage.presscloud.com



ORDERING INFORMATION

Omni ceiling lamp plated brass	#2248
Omni ceiling lamp black	#2262
Omni ceiling lamp brushed steel	#2263

Colour variations



plated brass



black
(RAL: 9005)



brushed steel


UMAGE

OMNI CEILING LAMP

Designed by Søren Ravn Christensen




Expanding the Omni lighting collection with another exceptional design, UIMAGE proudly unveils Omni ceiling - the ceiling lamp to spruce up your home.

With its sleek and simple design, Omni ceiling effortlessly fuses form and function. It captivates any space with its soft, serene illumination and transforms the atmosphere.

Crafted with meticulous attention to detail, the minimalistic shape of Omni ceiling exudes sophistication and elegance, demanding attention without overpowering the surrounding decor. Its unfussy design serves as a statement piece while harmoniously blending into any interior setting.

Designed by Chief Creative Developer at UIMAGE, Søren Ravn Christensen, Omni ceiling embraces versatility by incorporating a telescopic function, allowing effortless height adjustment to suit your desired lighting arrangement. The lamp and its two light panels can rotate 360 degrees, granting you unparalleled control over the light's placement and framing. It offers endless possibilities to suit the ambience according to your preference. To further enhance its adaptability, the Omni ceiling lamp is also dimmable with external dimmers, offering the ultimate level of customisation and mood setting.

Find more info on our website umage.com



OMNI CEILING

Recommended external dimmers (EU) | Rev.01

DRIVER: OTM-TD20

EXTERNAL DIMMER	EAN
Arnould Ecovariateur 400W Espace evolution avec enjoliveur blanc a assembler	3233625004017
Cotech LED-dimmer switch 36-5475	7393173222656
Ehmann - Dimmer LED T37.08	4012096004424
Ehmann – LED Dimmer T46.03 15-150 W/VA	4012096003007
Elko - RS16/316 GLED dimmer PH	7020160566713
Feller Drehdimmer,R,L,40-600W/VA,Standard,Phasenanschnitt,weiss,Ø43mm,P	7611386240152
JUNG 225 NVDE - Dimmer flush mounted 20...450VA - 225 NVDE	4011377124356
LK FUGA® LED 180 TOUCH IR	5703302160742
LK FUGA® LED-S 120 VA	5703302161640
LK FUGA® MEK-S 300CR	5703302109925
LK FUGA® MEK-S 300LR	5703302109932
MERTEN MEG5134-0000 - Dimmer flush mounted 4...400VA - MEG5134-0000	4042811183554
Schneider Electric Exxact vriddimmer LED 4-400W vit WDE008337	3606481003805
TEM Čatež dd EE19 PW -S C LED 100W	3831006973695
Tronix 215-131 LED Dimmer Universal Trailing Edge 10W ~ 350W	8714984916739
Uniled+ 325 trykk/vri	5703102207418
Vadsbo VD100 1-100W 230V V-4010020TRL-VP	7350030771306

