



CorePro LEDcapsule MV



CorePro LEDcapsuleMV 4-40W G9 827 D

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9 [G9]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	480 lumen
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	120.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz

Power Consumption	4 W	
Lamp Current (Nom)	24 mA	
Wattage Equivalent	40 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	86 °C	
Controls and Dimming		
Dimmable	Only with specific dimmers	
Mechanical and Housing		
Bulb Finish	Frosted	
Bulb Shape	Capsule	
Approval and Application		
Energy Efficiency Class	E	

Datasheet, 2023, June 2 data subject to change

CorePro LEDcapsule MV


Suitable For Accent Lighting	No	
Energy Consumption kWh/1000 h	4 kWh	
EPREL Registration Number	374869	
CE mark	Yes	
EU RoHS compliant	Yes	
Product Data		
Full product code	871869976673300	

CorePro LEDcapsuleMV 4-40W G9 827 D

Order code	929002390002
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material number (12NC)	929002390002
Full product name	CorePro LEDcapsuleMV 4-40W G9 827 D
EAN/UPC - Case	8718699766740


Dimensional drawing


Order product name



Product	D	С
CorePro LEDcapsuleMV 4-40W G9 827 D	18 mm	59 mm


Photometric data





Spectral Power Distribution Colour - CorePro LEDcapsuleMV 4-40W G9 827 D


General uniform lighting - CorePro LEDcapsuleMV 4-40W G9 827 D




Light Distribution Diagram - CorePro LEDcapsuleMV 4-40W G9 827 D

CorePro LEDcapsule MV

Lifetime





Life Expectancy Diagram - CorePro LEDcapsuleMV 4-40W G9 827 D

Lumen Maintenance Diagram - CorePro LEDcapsuleMV 4-40W G9 827 D

