

**RADENT PENDANT LAMP**  
700 / 1350 MM

**NUAD**



PRODUCT SHEET

DANISH DESIGN

[WWW.NUAD.DK](http://WWW.NUAD.DK)



**RADENT PENDANT LAMP**  
700 / 1350 MM

**NUAD**



PRODUCT SHEET

DANISH DESIGN

[WWW.NUAD.DK](http://WWW.NUAD.DK)

# RADENT PENDANT LAMPS

700 / 1350 mm

Based on a standard LED light tube Radent Pendant Lamp offers both direct downlight and subtle up light. The perforated metal mesh provides a soft lighting. The Radent pendant lamp is available in two sizes with a white, black or brass finish.



RADENT Pendant Lamp 700 mm Black




RADENT Pendant Lamp 700 mm White




RADENT Pendant Lamp 700 mm Brass









RADENT Pendant Lamp 1350 mm Black



RADENT Pendant Lamp 1350 mm White



RADENT Pendant Lamp 1350 mm Brass

Item number	EAN	Name	Variation	Dimensions	Weight	Packaging Dimension	Packaging Weight	Including bulb
NP1001-01	745125436463	RADENT Pendant Lamp	Black	 L: 700 x D: 58 x W: 45 mm	0,8 kg	800 x 110 x 110 mm	1,2 kg	Yes
NP1001-02	745125436470	RADENT Pendant Lamp	White	 L: 700 x D: 58 x W: 45 mm	0,8 kg	800 x 110 x 110 mm	1,2 kg	Yes
NP1001-03	745125436487	RADENT Pendant Lamp	Brass	 L: 700 x D: 58 x W: 45 mm	0,8 kg	800 x 110 x 110 mm	1,2 kg	Yes
NP1002-01	745125436494	RADENT Pendant Lamp	Black	 L: 1350 x D: 58 x W: 45 mm	1,3 kg	1450 x 110 x 110 mm	1,9 kg	Yes
NP1002-02	745125436500	RADENT Pendant Lamp	White	 L: 1350 x D: 58 x W: 45 mm	1,3 kg	1450 x 110 x 110 mm	1,9 kg	Yes
NP1002-03	745125436517	RADENT Pendant Lamp	Brass	 L: 1350 x D: 58 x W: 45 mm	1,3 kg	1450 x 110 x 110 mm	1,9 kg	Yes

## Product Specifications

Light source	9 / 18 Watt LED Tube
Socket type	LED Module T8 G13
Max. Lumen	990 / 1980 lm
Material	Perforated Metal Mesh / Aluminium
Cord length	300 cm
Cord	Black textile cord
Wire	150 cm
Voltage	220-240V 50 Hz.
Kelvin	3000 K
Energy class	A / A+ / A++
Certificate	CE
Bulb life span	35.000 Hours
Packaging	Brown box with PE protection foam
Assembling	Instruction inside the box
Dimmable	No
Canopy	No

## Cleaning and info

The product can be cleaned with a soft damp cloth and mild detergent. Do not use alcohol or any other solvents to clean the product. Ensure that the power supply has been turned OFF before cleaning the product.

For other information such as product overview, material description and disclaimers - please visit our website at [www.nuad.dk](http://www.nuad.dk) for further information. If you have any questions or comments, please don't hesitate to contact us at [info@nuad.dk](mailto:info@nuad.dk).