




COREP FC2G9 G9 7W LED MAX.  
220-240V~ 50Hz



**Front**

**Back**



**POSSIBLE  
FINISHES:**



LINE V



LINE C



LINE G



LINE B



LINE N



MOON V



MOON C



MOON G



MOON B



DOOR V



DOOR C



DOOR G

**TECHNICAL  
SPECIFICATIONS:**

Material: Ceramic  
and Laquered  
steel.

Magnetic  
Polypropylene  
diffusers included

Dimensions:

Height: 290 mm  
Width: 140 mm  
Depth: 56 mm

Weight: 1 kg

**ELECTRICAL  
COMPONENTS:**

CE Certified components

Socket: G9

Bulb: Provided bulb. Dimmable bulb  
available upon request

LED: Power 7W

Voltage: 220 - 240 V

**LIGHTING  
SPECIFICATIONS:**


Lumens: 550 lm

Temperature: 2700K


Rated life: 25.000 hours

### HARDWIRED VERSION:


- 1 - Place the bulb on the lamp and install the diffuser as shown in the scheme above.
- 2 - Identify the electrical wires from your wall and the lamp. Strip about 6 mm of insulation from the wire ends.
- 3 - Fix the plug and screw on your wall 150mm above your electrical outlet.



- 4 - Take the wire from the wall and the wire from the lamp. Insert the wires in the corresponding slots of the electrical domino.




- 5 - Hang the sconce from the screw.



**It is recommended to place the electricity outlet 170cm from the floor so that the appliance hangs at the appropriate height.**

### PLUG IN VERSION:

- 1 - Identify the electrical wires from the provided plug.
- 2 - Strip about 6 mm of insulation from the wire ends.
- 3 - Take the wire from the cord and the corresponding wire from the lamp. Insert the wires in the corresponding slots of the electrical domino.



- 4 - Mount the sconce to the wall using provided Plug and screw.

