

# Noa 100 Wall

LL133038SN

**Lombardo.**



## Technical information:

|                                    |                                |
|------------------------------------|--------------------------------|
| Installation:                      | Wall, Ceiling, Ground          |
| Material:                          | Aluminium                      |
| Finish:                            | Corten                         |
| Treatment:                         | Sea Treatment                  |
| Diffuser type:                     | Serigraphed glass              |
| Optics:                            | 25°                            |
| Lamp type:                         | LED                            |
| Energy performance class:          | F                              |
| Colour temperature:                | 4000K                          |
| CRI:                               | >80                            |
| LB Factor:                         | L80B20 - 50.000h               |
| Photobiological risk:              | RG0                            |
| Power consumption (Watt):          | 16                             |
| Lumen:                             | 1750                           |
| Real Lumen:                        | 800                            |
| Power supply:                      | ✓ integrated                   |
| LED:                               | AC DIRECT                      |
| Version with:                      | ⊞ HONEYCOMB                    |
| Insulation class:                  | ⊕ CL.I                         |
| Type of protection:                | <b>IP 66</b>                   |
| Resistance to breakage:            | <b>IK 07 2J xx5</b>            |
| Standards and Marks of Conformity: | CE <sup>UK</sup> <sub>CA</sub> |
| Dimming                            | Phase cut                      |

Optic D not available for Honeycomb version.



# Noa 100 Wall

LL133038SN

**Lombardo.**



## Installation images:




# Noa 100 Wall

LL133038SN


**Lombardo.**

## Lighting simulation:



noa\_100\_wall\_honey\_optic\_s

## Photometric curves:



**Lombardo S.r.l.**

Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - T 0039 035 939 411 - E [info@lombardo.it](mailto:info@lombardo.it)

**lombardo.it**