

Laverd

suspension lamp




Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & accessories	Page 3
5. Recommended use & installation height	Page 3
6. Photometric data and technical information	Page 3
7. Ordering codes	Page 4
8. Certifications & standards	Page 7
9. Maintenance & Cleaning	Page 7

Versions



LAV_3805S
Page 4



LAV_3806S
Page 5



LAV_R11S1S1M
Page 6



LAV_3805S + Vegetation KIT
LAV_3806S + Vegetation KIT
Page 4-5

Laverd

suspension lamp

1. Product overview

Suspended ring-shaped luminaire with cylindrical heads housing integrated LEDs for upward and downward light projection.

Drivers and wiring are contained in a central housing, from which a single cable connects to the ceiling canopy.

The suspension system allows for height adjustment, while the ring can be positioned at different heights or angles to create varied spatial compositions. Dimmable via 0–10V control.

Optional Vegetation Kit available (not waterproof) — supports up to 30 kg.



2. Finishes and Materials



Canopy: 26 Black

Body: 26 Black

Head: 26 Black
61 Satin Gold

3. Light Source & Dimming

Lamping per head:

LED 3W up + 3W down (2700K / Ang. 60° / >90 CRI / 24V)

100V - 277V / Typ 300 lumens up + 300 lumens down

Each head provides both up and down light.

*Integrated LED module (included).

Dimming options:

Standard: 0 - 10V

Optional: DALI


Laverd

suspension lamp


4. Functionality & Accessories

Possibility to create different compositions. Versions and sizes available for projects. Consult our offices.


Available sizes:



Possible compositions:



Possible shapes:





Accessory:

Vegetation KIT with artificial greenery included.

Not waterproof. Maximum 30 kg.

Code: 123815262




5. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks. We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.

6. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp. Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.



Laverd

suspension lamp

7. Ordering Codes

Lamping 3805S

LED 8x3W up + 8x3W down (2700K / Ang. 60° / >90 CRI / 24V)
100V - 277V / Typ 8x300 lumens up + 8x300 lumens down
Each head provides both up and down light.

Canopy: Single Surface

DIM: 0-10V (Optional DALI)

Finishes

Canopy:

26 Black

Body:

26 Black

Head:

26 Black


61 Satin Gold



Mounting	Finish Canopy	Finish Body	Finish Head	Ordering Code
Surface mounted. Driver in the canopy.	Black	Black	Black	LAV_3805S_262626W
	Black	Black	Satin Gold	LAV_3805S_262661W

Drawing

LAV_3805S



Vegetation KIT Ordering Codes:

Artificial greenery included.

Not waterproof. Maximum 30 kg.

Black

123815262



Laverd

suspension lamp

7. Ordering Codes

Lamping 3806S

LED 12x3W up + 12x3W down (2700K / Ang. 60° / >90 CRI / 24V)
100V - 277V / Typ 12x300 lumens up + 12x300 lumens down
Each head provides both up and down light.

Canopy: Single Surface

DIM: 0-10V (Optional DALI)

Finishes

Canopy:

26 Black

Body:

26 Black

Head:

26 Black


61 Satin Gold



Mounting	Finish Canopy	Finish Body	Finish Head	Ordering Code
Surface mounted. Driver in the canopy.	Black	Black	Black	LAV_3806S_262626W
	Black	Black	Satin Gold	LAV_3806S_262661W

Drawing

LAV_3806S



Vegetation KIT Ordering Codes:

Artificial greenery included.

Not waterproof. Maximum 30 kg.

Black

123815262



More information about Laverd + Vegetation KIT here.

Laverd

suspension lamp

7. Ordering Codes

Lamping R11S1S1M

LED 20x3W up + 20x3W down (2700K / Ang. 60° / >90 CRI / 24V)
100V - 277V / Typ 20x300 lumens up + 20x300 lumens down
Each head provides both up and down light.

Canopy: Single Surface

DIM: 0-10V (Optional DALI)

Finishes

Canopy:

26 Black

Body:

26 Black

Head:

26 Black


61 Satin Gold



Mounting	Finish Canopy	Finish Body	Finish Head	Ordering Code
Surface mounted. Driver in the canopy.	Black	Black	Black	LAV_R11S1S1M_262626W
	Black	Black	Satin Gold	LAV_R11S1S1M_262661W

Drawing


LAV_R11S1S1M



Laverd

suspension lamp

8. Certifications & Standards



Warranty: 2 years

100% made in Spain

9. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.