FIL DE FER (OUTDOOR)

DATASHEET



# Materials and colours

natural aluminium wire sphere with IP67 resin-bonded transformer housed in a black box

## Light source

Ø 50 cm

LED bulb IP65 G4 12V DC 8x1W / energy class G / lumen 600 / K 2700 / CRI 80

Ø 70 cm

LED bulb IP65 12V DC 16x1W / energy class G / lumen 1200 / K 2700 / CRI 80

Ø 100 cm

LED bulb IP65 12V DC 20x1W / energy class G / lumen 1500 / K 2700 / CRI 80

## **Power supply**

resin-bonded 12V 220-240 IP67 not-dimmable transformer (110V available on request) housed in black cylindrical box

## **Dimensions**



sphere Ø 50/70/100 cm, box Ø  $5\times20$  cm 12V cable 450 cm 230V cable 200 cm (with EU or CH plug / UK plug with 300 cm extra)

Order code

F5IPL Ø 50 cm F7IPL Ø 70 cm F10IPL Ø 100 cm

CATELLANI & SMITH SRL VIA CIMITERO 1/A, 24020 VILLA DI SERIO, BG CAP. SOC. € 98.800 I.V. CF, P.IVA E REG. IMPR. BG IT02656220163, RIPRODUZIONE RISERVATA © CATELLANI & SMITH



FIL DE FER F IP65 KIT BOX NOT DIMMABLE DRIVER



## Description

The new collections More, Sypha and Medousê have brought us out into the open, leading us to find brand new solutions for our outdoor products. An example of this is the new version of Fil de Fer F IP65, available from May. It is provided with the latest generation low voltage LEDs, created especially for Catellani & Smith and it has been enhanced by housing the IP67 transformer in a black cylindrical box with logo. The exquisite beauty is the same as always: a luminous sphere that brings a magical light to gardens and terraces, made all the more unique by these new details.

#### **Dimensions**



Code FKIPL (standard)



Ø5cm

20 cm