

1052010A - CASTORE SOSPENSIONE 350

FEATURES

Product name: CASTORE 35 SUSPENSION F.0



Product description: ROSONE E STELO IN RESINA TERMOPLASTICA. DIFFUSORE IN VETRO SOFFIATO.

Concept: The spherical diffuser design is enhanced by a removable-fitting and tapering luminous stem, that makes a sweet transition from the strong diffuser light to the blind lamp structure area. Ceiling rose and stem in thermoplastic resin, blown glass diffuser.

Reference item code (catalog code): 1052010A

Reference draw code: 1052

Catalog: Design

Collection: Artemide

Family: CASTORE

Sub family: CASTORE

Type: Ceiling

Type: Floor

Type: Suspension

Light performance: General light

Light quality: High CRI white

Environment: Indoor

Contract area: Retail

Contract area: Private Residence

Sector: Design

Movable/fixed luminaire: Fixed

Adjustable/fixed beam: Fixed

References standard: European (I.E.C. standard)

Protection degree (IP): 20

Protection class: Class I

Dimmability: Yes

Minimum distance from illuminated object (mt): NA

Suitability for mounting on flammable surfaces: Yes

Suitability to be covered with insulation material:

Luminaire designed to operate with safety glass:

Luminaire designed to be used with sources suitable for use in open luminaires:

DIMENSIONS

Net weight (kg): 3.300

Height (mm): 830.0

Diameter (mm): 350

Base diameter (mm): 150.0

Max height from ceiling (mm): 2330

Silhouette: [1052010A](#) ([Detail](#))

LIGHT EMISSION

Sources included: Source not included

Number of light channels: 1

Light emission description: GENERAL

Light emission icon: ☐

Light emission: Diffused

Photometry: [FTS0002068-1052010A-CASTORESOSPENSIONE350](#)([Detail](#))

Optics icon: ☐

Optics: Very wide flood (VWFL)

Chromatic coordinates:

Color rendering index: null

Expected time for relamping (min): null

ELECTRICAL

Elettrical range values: 220-240V 50/60Hz

Plug: No plug

Power consumption (W): 150

Power supply count: null

Power supply: ()

Luminaire suitable for dimming project class: A

Luminaire energy label: [EL030](#)([Detail](#))

EMERGENCY

COMMUNICATION

Production year: 2003

Product Range:

Designer: [Huub Ubbens](#)

[Michele De](#)

Designer: [Lucchi](#)

MATERIALS AND FINISHES

Colour: White

Color icon: ☐

Material: Thermoplastic resin, blown glass

QUALITY

Safety certifications: ENEC

Safety certifications attach: [DC1052010A\(Detail \)](#)

Safety certifications: C-UL

Safety certifications attach: [E136295-20030807-LOGICOMICROPLAFONE-SOSPENSIONE-PARETE-CASTORE\(Detail \)](#)

Safety certifications: CCC

Safety certifications attach: [DC1052010A\(Detail \)](#)

Performance and special certifications attach: ()

Photobiological risk class: N/A

Glow wire test: 750

Expected time for mounting (min): 20

PACKAGING

Box Code: 1052010A1

Quantity:1.000

Box width (mm):260.000

Box length (mm):580.000

Box height (mm):200.000

Box weight (kg):1.700

Box volume (m3):0.030

Box Code: 1049010A2

Quantity:1.000

Box width (mm):440.000

Box length (mm):440.000

Box height (mm):510.000

Box weight (kg):4.500

Box volume (m3):0.099

DOWNLOAD

Instruction sheet: [Y503001025-INSTRUCTIONSHEETCASTORECALICESUSPENSION42A3F-R \(Detail \)](#)

Files plug-in description: 2d

Files for plug-in & software: [1052010A-castore-2dmodel-dwg_01\(Detail \)](#)

Files plug-in description: 2d

Files for plug-in & software: [1052010A-castore-2dmodel-dxf_01\(Detail \)](#)

Files plug-in description: 3d

Files for plug-in & software: [1052010A-castore-3dmodel-3ds_01\(Detail \)](#)

Files plug-in description: 3d

Files for plug-in & software: [1052010A-castore-3dmodel-stp_01\(Detail \)](#)

View Image Gallery

Related Assets:

(Product silhouette) [1052010A](#)

(Plugin) [1052010A - castore - 3d model - 3ds_01](#)

(Plugin) [1052010A - castore - 2d model - dwg_01](#)

(Plugin) [1052010A - castore - 2d model - dxf_01](#)

(Plugin) [1052010A - castore - 3d model - stp_01](#)

(Certification) [E136295-20030807 - LOGICO MICRO PLAFONE-SOSPENSIONE-PARETE - CASTORE](#)

(Instruction sheet) [Y503001025 - INSTRUCTION SHEET CASTORE CALICE SUSPENSION 42 A3F-R](#)

(Certification) [DC 1052010A](#)

(Energy label) [EL030](#)

(Photometry) [FTS0002068 - 1052010A - CASTORE SOSPENSIONE 350](#)

(People) Huub Ubbens
(People) Michele De Lucchi
(Image - Lamps) Castore_low_1
(Image - Lamps) Castore_low_2
(Image - Lamps) Castore_low_9
(Image - Lamps) Castore_low_10
(Image - Lamps) Castore_low_11

DRAFT

DRAFT