

0644020A - Logico Ceiling Micro Single

FEATURES

Product name: Logico Ceiling Micro Single



Concept: Painted metal structure, blown glass diffuser with polished-silk finish.

Reference item code (catalog code): 0644020A

Catalog: Design

Collection: Artemide

Family: LOGICO

Sub family: LOGICO

Type: Ceiling

Light quality: White

Environment: Indoor

Contract area: Hospitality Hotel

Contract area: Hospitality Restaurant

Contract area: Office

Sector: Design

Protection degree (IP): 20

Protection class:

Dimmability: Yes

DIMENSIONS

Length (mm): 180.0

Width (mm): 180.0

Height (mm): 190.0

Cutout shape: Rectangular

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

Tilt: N/A

Silhouette: [0644020A \(Detail \)](#)

LIGHT EMISSION

Light emission description: GENERAL

Light emission icon:

Light emission: Diffused

Photometry: [FTS1601218-0644020A-LOGICOMICROPLAFONE\(Detail \)](#)

Optics icon:

Optics: Asymmetrical

Chromatic coordinates:

Color rendering index: null

Expected time for relamping (min): null

ELECTRICAL

Electrical range values: 220-240V 50/60Hz

Plug:

Included power supply: Power supply not included

Power supply count: null

Power supply: ()

Luminaire energy label: ()

EMERGENCY

COMMUNICATION

Production year: 2003

Application Field: 1_Office & Education

Product Range: High-End

MATERIALS AND FINISHES

Colour: White

Color icon:

Material: Painted metal, blown glass

QUALITY

Safety certifications: ENEC

Safety certifications attach: [DC0644020A\(Detail \)](#)

Safety certifications: C-UL

Safety certifications attach:

[E136295-20030314-LOGICOPAR-PLAF-SOSP-LOGICOMINIPAR-TETI-LIBERA-TALOPAR-SURF-MINISURFPAR-FROST \(Detail \)](#)

Safety certifications: CCC

Safety certifications attach: [DC0644020A\(Detail \)](#)

Performance and special certifications attach: ()

Impact resistance: N/D

Glow wire test: N/D

PACKAGING

Box Code: 0644020A

Quantity: 1

Box width (mm): 350.0

Box length (mm): 350.0

Box height (mm): 300.0

Box weight (kg): 2.4

Box volume (m3):0.04

DOWNLOAD

Instruction sheet: [Y503000610-INSTRUCTION SHEET LOGICO CEILING \(Detail \)](#)

Files plug-in description: 2d

Files for plug-in & software: [0644020A-logico_soffitto-2dmodel-dwg_01\(Detail \)](#)

Files plug-in description: 2d

Files for plug-in & software: [0644020A-logico_soffitto-2dmodel-dxf_01\(Detail \)](#)

Files plug-in description: 3d

Files for plug-in & software: [0644020A-logico_soffitto-3dmodel-3ds_01\(Detail \)](#)

Files plug-in description: 3d

Files for plug-in & software: [0644020A-logico_soffitto-3dmodel-stp_01\(Detail \)](#)

View Image Gallery

Related Assets:

(Product silhouette) [0644020A](#)

(Plugin) [0644020A - logico_soffitto - 3d model - 3ds_01](#)

(Plugin) [0644020A - logico_soffitto - 2d model - dwg_01](#)

(Plugin) [0644020A - logico_soffitto - 2d model - dxf_01](#)

(Plugin) [0644020A - logico_soffitto - 3d model - stp_01](#)

(Certification) [E136295-20030314 - LOGICO PAR-PLAF-SOSP - LOGICO MINI PAR - TETI - LIBERA - TALO PAR - SURF-MINI SURF PAR - FROST](#)

(Instruction sheet) [Y503000610 - INSTRUCTION SHEET LOGICO CEILING](#)

(Certification) [DC 0644020A](#)

(Photometry) [FTS1601218 - 0644020A - LOGICO MICRO PLAFONE](#)

(Image - Lamps) [Logico_low_2](#)