

1053010A - Castore Suspension 25

FEATURES

Product name: Castore Suspension 25



Concept: The spherical diffuser design is enhanced by a removable-fitting and tapering luminous stem, that makes a sweet transition from the strong diffuser light to the blind lamp structure area. Ceiling rose and stem in thermoplastic resin, blown glass diffuser.

Reference item code (catalog code): 1053010A

Catalog: Design

Collection: Artemide

Family: CASTORE

Sub family: CASTORE

Type: Table

Type: Floor

Type: Suspension

Light quality: White

Environment: Indoor

Contract area: Hospitality Hotel

Contract area: Retail

Contract area: Private Residence

Sector: Design

Protection degree (IP): 20

Protection class:

Dimmability: Yes

DIMENSIONS

Height (mm): 720.0

Diameter (mm): 250.0

Cutout shape: Rectangular

Base diameter (mm): 150.0

Tilt: N/A

Max height from ceiling (mm): 2220.0

Silhouette: [1053010A \(Detail \)](#)

LIGHT EMISSION

Light emission description: GENERAL

Light emission icon: 

Light emission: Diffused

Photometry: [FTS0002069-1053010A-CASTORESOSPENSIONE250\(Detail \)](#)

Optics icon: 

Optics: Very wide flood (VWFL)

Chromatic coordinates:

Color rendering index: null

Expected time for relamping (min): null

ELECTRICAL

Elettrical range values: 220-240V 50/60Hz

Plug:

Included power supply: Power supply not included

Power supply count: null

Power supply: ()

Luminaire energy label: ()

EMERGENCY

COMMUNICATION

Production year: 2003

Application Field: 1_Office & Education

Product Range: High-End

Designer: [Huub Ubbens](#)

[Michele De](#)

Designer: [Lucchi](#)

MATERIALS AND FINISHES

Colour: White

Color icon: 

Material: Thermoplastic resin, blown glass

QUALITY

Safety certifications: ENEC

Safety certifications attach: [DC1053010A\(Detail \)](#)

Safety certifications: C-UL

Safety certifications attach: [E136295-20030807-LOGICOMICROPLAFONE-SOSPENSIONE-PARETE-CASTORE\(Detail \)](#)

Safety certifications: CCC

Safety certifications attach: [DC1053010A\(Detail \)](#)

Performance and special certifications attach: ()

Impact resistance: N/D

Glow wire test: 650

PACKAGING

Box Code: 1050010A2

Quantity:1

Box width (mm):340.0

Box length (mm):340.0

Box height (mm):410.0

Box weight (kg):2.4

Box volume (m3):0.05

Box Code: 1053010A1

Quantity:1

Box width (mm):260.0

Box length (mm):580.0

Box height (mm):20.0

Box weight (kg):1.7

Box volume (m3):0.03

DOWNLOAD

Instruction sheet: [Y503001025-INSTRUCTIONSHEETCASTORECALICESUSPENSION42A3F-R \(Detail \)](#)

Files plug-in description: 2d

Files for plug-in & software: [1053010A-castore-2dmodel-dwg_01\(Detail \)](#)

Files plug-in description: 2d

Files for plug-in & software: [1053010A-castore-2dmodel-dxf_01\(Detail \)](#)

Files plug-in description: 3d

Files for plug-in & software: [1053010A-castore-3dmodel-3ds_01\(Detail \)](#)

Files plug-in description: 3d

Files for plug-in & software: [1053010A-castore-3dmodel-stp_01\(Detail \)](#)

View Image Gallery

Related Assets:

(Product silhouette) 1053010A

(Plugin) 1053010A - castore - 3d model - 3ds_01

(Plugin) 1053010A - castore - 2d model - dwg_01

(Plugin) 1053010A - castore - 2d model - dxf_01

(Plugin) 1053010A - castore - 3d model - stp_01

(Certification) E136295-20030807 - LOGICO MICRO PLAFONE-SOSPENSIONE-PARETE - CASTORE

(Instruction sheet) Y503001025 - INSTRUCTION SHEET CASTORE CALICE SUSPENSION 42 A3F-R

(Certification) DC 1053010A

(Photometry) FTS0002069 - 1053010A - CASTORE SOSPENSIONE 250

(People) Huub Ubbens

(People) Michele De Lucchi

(Image - Lamps) Castore_low_1

(Image - Lamps) Castore_low_2

(Image - Lamps) Castore_low_7