

## 1128020A - CHOOSE T RIVEST.PERG.

### FEATURES

**Product name:** CHOOSE TABLE



**Product description:** BASE IN ZAMA. STRUTTURA IN ACCIAIO VERNICIATO. DIFFUSORE IN POLICARBONATO ACCOPPIATO AD UN FOGLIO DI CARTA PERGAMENA.

**Concept:** Base in zamac, grey painted metal structure, adjustable diffuser in transparent polycarbonate, joined with parchment paper.

**Reference item code (catalog code):** 1128020A

**Reference draw code:** 1128020A

**Catalog:** Design

**Collection:** Artemide

**Family:** CHOOSE

**Sub family:** CHOOSE

**Type:** Table

**Type:** Recessed

**Type:** Floor

**Type:** Wall

**Type:** Suspension

**Light performance:** General light

**Light quality:** High CRI white

**Environment:** Indoor

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

**Sector:** Design

**Movable/fixed luminaire:** Movable

**Adjustable/fixed beam:** Fixed

**References standard:** European (I.E.C. standard)

**Protection degree (IP):** 20

**Protection class:** Class II

**Dimmability:** No

**Minimum distance from illuminated object (mt):** NA

**Suitability for mounting on flammable surfaces:** Yes

**Suitability to be covered with insulation material:**

**Luminaire designed to operate with safety glass:**

**Luminaire designed to be used with sources suitable for use in open luminaires:**

**Luminaire for high-pressure sodium lamps that require external lighter:**

**Luminaire for high-pressure sodium lamps that require internal lighter:**

#### DIMENSIONS

**Net weight (kg):** 3.400

**Height (mm):** 555

**Diameter (mm):** 358

**Base diameter (mm):** 230

**Rotation (degree):** 350

#### LIGHT EMISSION

**Sources included:** Source not included

**Number of light channels:** 1

**Light emission description:** GENERAL

**Light emission icon:**

**Light emission:** Diffused

**Photometry:** [FTS0002484-1128020A-CHOOSETAV-INC1X75WRIVESTPERG\( Detail \)](#)

**Optics icon:**

**Optics:** Very wide flood (VWFL)

**Chromatic coordinates:**

**Color rendering index:** null

**Expected time for relamping (min):** null

#### ELECTRICAL

**Electrical range values:** 220-240V 50/60Hz

**Plug:** Type C EU class 2

**Power consumption (W):** 57

**Power supply count:** null

**Power supply:** ( )

**Luminaire energy label:** [EL030\( Detail \)](#)

#### EMERGENCY

#### COMMUNICATION

**Production year:** 2006

**Product Range:**

Matteo

**Designer:** [Thun](#)

#### MATERIALS AND FINISHES

**Colour:** Grey-Natural

**Color icon:**

**Material:** Metal, zamac, polycarbonate, parchment paper

QUALITY

**Safety certifications:** ENEC

**Safety certifications attach:** [DC1128020A\( Detail \)](#)

**Safety certifications:** C-UL

**Safety certifications attach:** [E141369-20070329-CHOOSE TAVOLO-TERRA\( Detail \)](#)

**Performance and special certifications attach:** ( )

**Photobiological risk class:** N/A

**Glow wire test:** 650

**Expected time for mounting (min):** 1

PACKAGING

**Box Code:** 1128020A

**Quantity:**1

**Box width (mm):**435.00

**Box length (mm):**435.00

**Box height (mm):**660.00

**Box weight (kg):**5.60

**Box volume (m3):**0.13

DOWNLOAD

**Instruction sheet:** [Y503001093-INSTRUCTION SHEET CHOOSE TABLE \( Detail \)](#)

**Files plug-in description:** 2d

**Files for plug-in & software:** [1128020A-choose-2dmodel-dwg\\_01\( Detail \)](#)

**Files plug-in description:** 2d

**Files for plug-in & software:** [1128020A-choose-2dmodel-dxf\\_01\( Detail \)](#)

**Files plug-in description:** 3d

**Files for plug-in & software:** [1128020A-choose-3dmodel-3ds\\_01\( Detail \)](#)

**Files plug-in description:** 3d

**Files for plug-in & software:** [1128020A-choose-3dmodel-stp\\_01\( Detail \)](#)

**View Image Gallery**

**Related Assets:**

(Plugin) 1128020A - choose - 3d model - 3ds\_01

(Plugin) 1128020A - choose - 2d model - dwg\_01

(Plugin) 1128020A - choose - 2d model - dxf\_01

(Plugin) 1128020A - choose - 3d model - stp\_01

(Certification) E141369-20070329 - CHOOSE TAVOLO - TERRA

(Instruction sheet) Y503001093 - INSTRUCTION SHEET CHOOSE TABLE

(Energy label) EL030

(Certification) DC 1128020A

(Photometry) FTS0002484 - 1128020A - CHOOSE TAV-INC 1X75W RIVEST PERG

(People) Matteo Thun

(Image - Lamps) Choose\_low\_5

(Image - Lamps) Choose\_low\_6

(Image - Lamps) Choose\_low\_11

(Image - Lamps) Choose\_low\_13

(Image - Lamps) Choose\_low\_22

(Image - Lamps) Choose\_low\_23

(Image - Lamps) Choose\_low\_24

(Image - Lamps) Choose\_low\_25

(Image - Lamps) Choose\_low\_26

(Image - Lamps) Choose\_low\_27

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

DRAFT

(Image - Lamps) Choose\_prew



---

Artemide S.p.A. - C.so Monforte, 19 - I-20122 Milano (MI) Italia  
R.E.A. 586101 - Capitale sociale euro 5.200.000 int. versato - C.F. e Numero di Iscrizione al Reg. Imprese Tribunale di Milano 00846890150 - P. Iva  
00846890150