



Glo-Ball Ceiling 1

Designed by Jasper Morrison, 1999

Halogen - 150W

Ceiling mounted lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and of a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide ceiling fitting; gray painted die-cast aluminum diffuser support.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607002391
Mounting	Ceiling
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	White
Net weight (kg)	2.47
Package volume (m3)	0.07
IP internal	40



Mounting instructions	业 PDF
Spare Parts	<u>↓</u> PDI
Photometric Files	
LDT / IES	T TD.
Technical Drawings	;
2D	¥ ZIF
3D	¥ ZIF
⋒ Bim	J. 711





















Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No





NOT INCLUDED

NOT INCLUDED


RF32288

RF32289

LED Lamp E27 15W 2700K T38

LED Lamp E27 15W 3000K T38

Spare Parts



01. Glo-Ball 1 opal diffuser. Grey

F3050061

Base

02. New version lamp holder

RF2500200

DOWNLOAD





F3050061

RF2500200

Glo-Ball 1 opal diffuser. Grey Base

New version lamp holder