

FLOS

F3010061 White

Glo-Ball Suspension 2

Designed by Jasper Morrison, 1998



Halogen - 150W

Suspension lamp providing diffused light. Diffuser consisting of an externally acid-etched, hand blown, flashed opaline glass. Transparent, injection molded polycarbonate diffuser support. 30% fiberglass reinforced injection-molded polyamide rose; pressed and galvanized ceiling fitting. Steel suspension cable.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607002223
Mounting	Suspension
Environment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	White
Cord length (mm)	2700
Net weight (kg)	3.77
Package volume (m3)	0.13
IP internal	20



Download

Mounting instructions [Download PDF](#)

Spare Parts [Download PDF](#)

Photometric Files

LDT / IES [Download LDT](#)

Technical Drawings


2D [Download ZIP](#)

3D [Download ZIP](#)

[Bim](#) [Download ZIP](#)



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Roto symmetric

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF26259
LED Lamp 18W E27 2700K
Dimmable



NOT INCLUDED

RF26258
LED Lamp 18W E27 3000K T38
Dimmable



NOT INCLUDED

RF32288
LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289
LED Lamp E27 15W 3000K T38

Spare Parts



A2512000
Glo-Ball electrical wiring assembly



F3015061
Glo-Ball 2 white diffuser



RA3690209
White rose assembly



RF04322
Bjb e27 lamp holder



RF05382
Kit of 5 or rings



RF09514
Ring nut assembly for diffuser 2