



KTribe Floor 2

Designed by Philippe Starck, 2006




Halogen - 150W

Floor lamp providing diffused lighting. Base, rod support and diffuser support in diecast, polished and chrome-plated Zamak alloy. Galvanized P04 steel base cover. Injectionmolded PC (polycarbonate) opal inner diffuser and support for the lampholder. Outer diffusers in transparent or fumèe PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Injectionmolded PC (polycarbonate) upper ring, completely transparent or transparent diffuser and silver diffuser) or transparent brown for the outer bronze diffuser. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

Floor

BOOK AN APPOINTMENT



Main specifications

	FIOOI
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	Fumée
Length (mm)	395
Cord length (mm)	2010
Net weight (kg)	6.7
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.36
IP internal	20





















https://professional.flos.com/en/global/product/ktribe-floor-2-f6305030/

F6305030

Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No





NOT INCLUDED

RF26998


LED 21W E27 2450lm 3000K DIMMER

NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable

Spare Parts



O1. Ktribe Floor/Table 2 fumée F6278030 diffuser assembly
O2. Led rondo' dimmer 220/240v 40- RF28045 250w 4-100w
O3. Kit of 5 white feed pads for base RF3020100

DOWNLOAD







RF28045 Led rondo' dimmer 220/240v 40-250w 4-100w



RF3020100

Kit of 5 white feed pads for base