

String Light - Sphere head - 12mt cable - CASAMBI Ready

Designed by Michael Anastassiades, 2014




21W - 1515lm - 2700K

Suspension lamp providing diffused light. Black, white or blue varnished die-cast aluminium body coated with clear soft-touch varnish. Optical diffuser in opal PC. Suspension system of 12 metres with Kevlar reinforced coaxial cable. Available with wall/ceiling connection in black PC and power supply with floor switch in black varnished PC. The on/off switch is electronic with optical and touch dimm mechanism included or touch dimm and CASAMBI Ready version. Dimmer included. Compulsory to add either floor switch or ceiling/wall rose.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607042168
Mounting	Suspension
Environment	Indoor dry location
Light source type	LED
LED type	LED array
Power (W)	21
System flux (lm)	1515

Physical

Colour	Black
Cord length (mm)	12000
Net weight (kg)	1.12
Package height (cm)	300
Package width (cm)	300
Package length (cm)	300
Package volume (m3)	0.03
IP internal	20

Download

Mounting instructions	↓ PDF
Mounting instructions	↓ PDF
Mounting instructions	↓ PDF
Spare Parts	↓ PDF

Photometric Files


LDT / IES	↓ LDT
-----------	-------

Technical Drawings

Bim	↓ ZIP
-----	-------




Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional

Photometric

Lighting type	Total
Light distribution	Roto symmetric
CCT (K)	2700

Electrical

Insulation class	III
Main voltage (Vac)	48
Forward voltage (V)	48
Driver	Remote excluded
Dimming type	Electronic 48V
Batteries inside	No
Charging min time	No

Accessories & Power Supply



REQUIRED

F6484030


String Light Floor switch



REQUIRED

F6482030

String Light Rose



OPTIONAL

F6485030

String Light Kit cable

Spare Parts



RF22934
Power supply unit for led




RF6480109
Kit with white hooks and white cable clamps



RF6480130
String Light black hooks & cable clamps 5-unit kit



RF6480200
Kit with allen key and screws for ceiling rose assembly



RFU648200
Kit with allen key and screws for ceiling rose assembly